

Temporal Query Answering in \mathcal{EL}^*

Stefan Borgwardt and Veronika Thost

Theoretical Computer Science, TU Dresden, Germany
firstname.lastname@tu-dresden.de

Motivation Context-aware systems use data collected at runtime to recognize predefined situations and trigger adaptations; e.g., an operating system may use sensors to recognize that a video application is out of user focus, and then adapt application parameters to optimize the energy consumption. Using ontology-based data access [12, 19], the situations can be encoded into queries that are answered over an ABox containing the sensor data. In the TBox, we can encode background knowledge about the domain. For example, if the user has been working with another application on a second screen for a longer period, then we may assume that he does not need the video to be displayed in the highest resolution.

In this paper, we focus on the lightweight DL \mathcal{EL} . We can state static knowledge about applications ($\text{VideoApplication}(\text{app1})$), dynamic knowledge about the current context ($\text{NotWatchingVideo}(\text{user1})$), as well as background knowledge like

$$\text{VideoApplication} \sqcap \exists \text{hasUser}.\text{NotWatchingVideo} \sqsubseteq \exists \text{hasState}.\text{OutOfFocus},$$

saying that a video application whose user is currently not watching the video is out of user focus. Given such a knowledge base, we can use the *conjunctive query* (CQ) $\psi(x) := \exists y.\text{hasState}(x, y) \wedge \text{OutOfFocus}(y)$ to identify applications x that can potentially be assigned a lower priority. More complex situations typically depend also on the behavior of the environment in the past—the operating system should not switch configurations every time the user is not watching for one second, but only after this has been the case for a longer period.

For that reason, we investigate *temporal conjunctive queries* (TCQs), originally proposed in [3, 4]. They combine conjunctive queries via the operators of the propositional linear temporal logic LTL [14, 18]. We can use the TCQ

$$\begin{aligned} & (\circ^- \psi(x)) \wedge (\circ^- \circ^- \psi(x)) \wedge (\circ^- \circ^- \circ^- \psi(x)) \wedge \\ & (\neg(\exists y.\text{GotPriority}(y) \wedge \text{notEqual}(x, y)) \text{S GotPriority}(x)) \end{aligned}$$

to obtain all applications that were out of user focus during the three *previous* (\circ^-) moments of observation, were prioritized by the operating system at some point in time, and the priority has *not* (\neg) changed *since* (S) then. The semantics of TCQs is based on *temporal knowledge bases* (TKBs), which, in addition to the TBox (which is assumed to hold *globally*, i.e., at every point in time), contains a *sequence* of ABoxes $\mathcal{A}_0, \mathcal{A}_1, \dots, \mathcal{A}_n$, representing the data collected at specific

* Partially supported by the DFG in CRC 912 (HAEC).

points in time. We designate with n the most recent time of observation (the *current time point*), at which the situation recognition is performed. We also investigate the related temporalized formalism \mathcal{EL} -LTL, in which axioms, i.e., assertions or GCIs, are combined using LTL-operators.

Related Work The axioms in a TKB do not explicitly refer to time, but are written in a *classical* (atemporal) DL; only the query is temporalized. In contrast, [1,2,13,17] extend classical DLs by temporal operators that occur within concepts and axioms. However, most of these logics yield high reasoning complexities, even if the underlying atemporal DL is tractable. Lower complexities are obtained by considerably restricting either the temporal operators or the underlying DL.

Regarding temporal properties formulated over atemporal DLs, \mathcal{ALC} -LTL, a variant of \mathcal{EL} -LTL over the more expressive DL \mathcal{ALC} , was first considered in [6]. This was the basis for introducing TCQs over \mathcal{ALC} -TKBs in [3], which was extended to \mathcal{SHQ} in [4]. However, reasoning in \mathcal{ALC} is not tractable, and context-aware systems often need to deal with large quantities of data and adapt fast. TCQs over several lightweight logics have been regarded in [7], but only over a fragment of LTL without negation. In [1], the complexity of LTL over axioms of several members of the *DL-Lite* family of DLs has been investigated. However, nothing is known about TCQs over these logics.

Results We investigate the combined and data complexity of the TCQ entailment problem over TKBs formulated in \mathcal{EL} . Moreover, we determine the complexity of satisfiability of \mathcal{EL} -LTL-formulae, and additionally consider the special case where only *global GCIs* are allowed [6]. As usual, we consider *rigid* concepts and roles, whose interpretation does not change over time. In this regard, we distinguish three different settings, depending on whether concepts or roles (or both) are allowed to be rigid. Since rigid concepts can be simulated by rigid roles [6], only three cases need to be considered: (i) no symbols are allowed to be rigid, (ii) only rigid concepts are allowed, and (iii) both concepts and roles can be rigid. Tables 1 and 2 summarize our results and provide a comparison to related work. The only previously known results that directly apply here are P-hardness of CQ entailment in \mathcal{EL} w.r.t. data complexity [11] and PSPACE-hardness of LTL [20]. Hence, we needed to prove three additional complexity lower bounds.

With a single exception, the complexity of TCQ entailment in \mathcal{EL} turns out to be lower than that in \mathcal{ALC} (and \mathcal{SHQ}) [4]. Regarding satisfiability in \mathcal{EL} -LTL, Table 2 shows that rigid symbols lead to an increase in complexity that does not affect $DL-Lite_{krom}$ -LTL [1], and even matches the complexity of \mathcal{ALC} -LTL and \mathcal{SHOQ} -LTL in case (ii) [6, 15]. Thus, we partially confirm and refute the conjecture of [6] that \mathcal{EL} -LTL is as hard as \mathcal{ALC} -LTL. In the following, we shortly describe some of the ideas behind them. More details can be found in [8–10].

The upper bounds are obtained by a combination of techniques that were developed for \mathcal{ALC} -LTL [6] and refined for TCQs over \mathcal{SHQ} -TKBs [4], methods for checking LTL-satisfiability [4, 20, 21], and algorithms for atemporal reasoning

Table 1. The complexity of TCQ entailment. All results except the one for the data complexity of case (iii) from [4] are tight.

	Data Complexity			Combined Complexity		
	(i)	(ii)	(iii)	(i)	(ii)	(iii)
\mathcal{EL}	P	CO-NP	CO-NP	PSPACE	PSPACE	CO-NEXPTIME
$\mathcal{ALC}/\mathcal{SHQ}$ [4]	CO-NP	CO-NP	EXPTIME	EXPTIME	CO-NEXPTIME	2-EXPTIME

Table 2. The complexity of satisfiability in LTL over DL axioms.

				Global GCIs		
	(i)	(ii)	(iii)	(i)	(ii)	(iii)
$DL-Lite_{krom}$ [1]	PSPACE	PSPACE	PSPACE	PSPACE	PSPACE	PSPACE
\mathcal{EL}	PSPACE	NEXPTIME	NEXPTIME	PSPACE	PSPACE	PSPACE
\mathcal{ALC} [6]	EXPTIME	NEXPTIME	2-EXPTIME	EXPTIME	EXPTIME	2-EXPTIME

in \mathcal{EL} [5,16]. However, considerable work was necessary to obtain tight complexity bounds in all cases we considered. The main approach is to separate the temporal operators from the CQs (or axioms), which leaves us to solve a variant of the satisfiability problem for LTL (in P w.r.t. data complexity and in PSPACE w.r.t. combined complexity), as well as the following problem for the DL part.

Definition 1. Let $\mathcal{K} = \langle \mathcal{T}, (\mathcal{A}_i)_{0 \leq i \leq n} \rangle$ be a TKB and $\alpha_1, \dots, \alpha_m$ be CQs.¹ A set $\mathcal{S} = \{X_1, \dots, X_k\} \subseteq 2^{\{\alpha_1, \dots, \alpha_m\}}$ is \mathcal{r} -satisfiable w.r.t. a mapping $\iota: \{0, \dots, n\} \rightarrow \{1, \dots, k\}$ and \mathcal{K} if there are interpretations $\mathcal{J}_1, \dots, \mathcal{J}_k$ and $\mathcal{I}_0, \dots, \mathcal{I}_n$ such that

- they share the same domain and interpret all rigid symbols in the same way;
- each \mathcal{J}_i is a model of \mathcal{T} and $\chi_i := \bigwedge X_i \wedge \bigwedge \{\neg \alpha_j \mid \alpha_j \notin X_i\}$; and
- each \mathcal{I}_i is a model of $\langle \mathcal{T}, \mathcal{A}_i \rangle$ and $\chi_{\iota(i)}$.

Individually, the satisfiability of the conjunctions χ_i can be tested in P w.r.t. data complexity and in PSPACE w.r.t. combined complexity. However, the problem is to ensure the first condition, namely that all rigid names are interpreted in the same way by all relevant interpretations.

In case (i), this restriction is obviously irrelevant. For case (iii), one can answer an exponentially large UCQ over an exponentially large atemporal knowledge base instead to obtain the upper bounds. The most difficult cases were case (ii) for the combined complexity of TCQ entailment, and the case of global GCIs in \mathcal{EL} -LTL, where we needed to obtain PSPACE upper bounds in the presence of rigid names. For these cases, we proved that it suffices to guess additional data of polynomial size that can be added to the knowledge bases in order to separate the satisfiability tests in Definition 1. These tests can then be integrated into a PSPACE-Turing machine for LTL-satisfiability [20] without increasing the complexity.

Acknowledgements We want to thank Franz Baader, Marcel Lippmann, and Carsten Lutz for fruitful discussions on the topic of this paper.

¹ In the case of \mathcal{EL} -LTL, these are axioms.

References

1. Artale, A., Kontchakov, R., Lutz, C., Wolter, F., Zakharyashev, M.: Temporalising tractable description logics. In: Proc. of the 14th Int. Symp. on Temporal Representation and Reasoning (TIME'07), pp. 11–22. IEEE Press (2007)
2. Artale, A., Kontchakov, R., Ryzhikov, V., Zakharyashev, M.: A cookbook for temporal conceptual data modelling with description logics. *ACM Transactions on Computational Logic* 15(3), 25:1–25:50 (2014)
3. Baader, F., Borgwardt, S., Lippmann, M.: Temporalizing ontology-based data access. In: Proc. of the 24th Int. Conf. on Automated Deduction (CADE'13). pp. 330–344. Springer-Verlag (2013)
4. Baader, F., Borgwardt, S., Lippmann, M.: Temporal query entailment in the description logic \mathcal{SHQ} . *Journal of Web Semantics* (2015), doi:10.1016/j.websem.2014.11.008, in press.
5. Baader, F., Brandt, S., Lutz, C.: Pushing the \mathcal{EL} envelope. In: Proc. of the 19th Int. Joint Conf. on Artificial Intelligence (IJCAI'05). pp. 364–369. Professional Book Center (2005)
6. Baader, F., Ghilardi, S., Lutz, C.: LTL over description logic axioms. *ACM Transactions on Computational Logic* 13(3), 21:1–21:32 (2012)
7. Borgwardt, S., Lippmann, M., Thost, V.: Temporalizing rewritable query languages over knowledge bases. *Journal of Web Semantics* (2015), doi:10.1016/j.websem.2014.11.007, in press.
8. Borgwardt, S., Thost, V.: LTL over \mathcal{EL} axioms. LTCS-Report 15-07, Chair for Automata Theory, TU Dresden (2015), see <http://lat.inf.tu-dresden.de/research/reports.html>.
9. Borgwardt, S., Thost, V.: Temporal query answering in \mathcal{EL} . LTCS-Report 15-08, Chair for Automata Theory, TU Dresden (2015), see <http://lat.inf.tu-dresden.de/research/reports.html>.
10. Borgwardt, S., Thost, V.: Temporal query answering in the description logic \mathcal{EL} . In: Yang, Q. (ed.) Proc. of the 24th Int. Joint Conf. on Artificial Intelligence (IJCAI'15). AAAI Press (2015), to appear.
11. Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., Rosati, R.: Data complexity of query answering in description logics. In: Proc. of the 10th Int. Conf. on Principles of Knowledge Representation and Reasoning (KR'06). pp. 260–270. AAAI Press (2006)
12. Decker, S., Erdmann, M., Fensel, D., Studer, R.: Ontobroker: Ontology based access to distributed and semi-structured information. In: Database Semantics: Semantic Issues in Multimedia Systems. pp. 351–369. Kluwer Academic Publisher (1998)
13. Gutiérrez-Basulto, V., Jung, J.C., Schneider, T.: Lightweight description logics and branching time: A troublesome marriage. In: Proc. of the 14th Int. Conf. on Principles of Knowledge Representation and Reasoning (KR'14). AAAI Press (2014)
14. Lichtenstein, O., Pnueli, A., Zuck, L.: The glory of the past. In: Proc. of the Workshop on Logics of Programs. pp. 196–218. Springer-Verlag (1985)
15. Lippmann, M.: Temporalised Description Logics for Monitoring Partially Observable Events. Ph.D. thesis, TU Dresden, Germany (2014), <http://nbn-resolving.de/urn:nbn:de:bsz:14-qucosa-147977>
16. Lutz, C., Toman, D., Wolter, F.: Conjunctive query answering in the description logic \mathcal{EL} using a relational database system. In: Proc. of the 21st Int. Joint Conf. on Artificial Intelligence (IJCAI'09). pp. 2070–2075. AAAI Press (2009)

17. Lutz, C., Wolter, F., Zakharyashev, M.: Temporal description logics: A survey. In: Proc. of the 15th Int. Symp. on Temporal Representation and Reasoning (TIME'08). pp. 3–14. IEEE Press (2008)
18. Pnueli, A.: The temporal logic of programs. In: Proc. of the 18th Annual Symp. on Foundations of Computer Science (SFCS'77). pp. 46–57. IEEE Press (1977)
19. Poggi, A., Lembo, D., Calvanese, D., De Giacomo, G., Lenzerini, M., Rosati, R.: Linking data to ontologies. *Journal of Data Semantics* 10, 133–173 (2008)
20. Sistla, A.P., Clarke, E.M.: The complexity of propositional linear temporal logics. *Journal of the ACM* 32(3), 733–749 (1985)
21. Wolper, P., Vardi, M.Y., Sistla, A.P.: Reasoning about infinite computation paths. In: Proc. of the 24th Annual Symp. on Foundations of Computer Science (SFCS'83). pp. 185–194. IEEE Press (1983)