





















- [8] R. C. Read and D. G. Corneil, "The graph isomorphism disease," *J. Graph Theory*, vol. 1, no. 4, pp. 339–363, 1977.
- [9] D. S. Kolovos, D. Di Ruscio, A. Pierantonio, and R. F. Paige, "Different models for model matching: An analysis of approaches to support model differencing," in *Procs. of the 2009 ICSE Workshop on Comparison and Versioning of Software Models*, ser. CVSM '09. Washington, DC, USA: IEEE Computer Society, 2009, pp. 1–6.
- [10] P. Oram, "Wordnet: An electronic lexical database. christiane fellbaum (ed.). cambridge, ma: Mit press, 1998, pp. 423." *Applied Psycholinguistics*, vol. 22, pp. 131–134, 3 2001.
- [11] M. Alanen and I. Porres, *Difference and union of models*. Springer, 2003.
- [12] P. Farail, P. Gauflillet, A. Canals, C. Le Camus, D. Sciamma, P. Michel, X. Crégut, and M. Pantel, "The topcased project: a toolkit in open source for critical aeronautic systems design," *Embedded Real Time Software (ERTS)*, vol. 781, pp. 54–59, 2006.
- [13] A. Toulmé and I. Inc, "Presentation of emf compare utility," in *Eclipse Modeling Symposium*, 2006, pp. 1–8.
- [14] R. Reddy, R. France, S. Ghosh, F. Fleurey, and B. Baudry, "Model composition-a signature-based approach," in *Aspect Oriented Modeling (AOM) Workshop*, 2005.
- [15] C. Treude, S. Berlik, S. Wenzel, and U. Kelter, "Difference computation of large models," in *Procs. of the the 6th joint meeting of the European software engineering conference and the ACM SIGSOFT symposium on The foundations of software engineering*. ACM, 2007, pp. 295–304.
- [16] S. Nejati, M. Sabetzadeh, M. Chechik, S. Easterbrook, and P. Zave, "Matching and merging of statecharts specifications," in *Procs. of the 29th Int. Conf. on Software Engineering (ICSE 2007)*. IEEE Computer Society, 2007, pp. 54–64.
- [17] D. S. Kolovos, D. Di Ruscio, A. Pierantonio, and R. F. Paige, "Different models for model matching: An analysis of approaches to support model differencing," in *Procs of the 2009 ICSE Workshop on Comparison and Versioning of Software Models*. IEEE Computer Society, 2009, pp. 1–6.
- [18] L. Yujian and L. Bo, "A normalized levenshtein distance metric," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, no. 6, pp. 1091–1095, Jun. 2007.
- [19] L. Meng, R. Huang, and J. Gu, "A review of semantic similarity measures in wordnet," *International Journal of Hybrid Information Technology*, vol. 6, no. 1, 2013.
- [20] S. Patwardhan, S. Banerjee, and T. Pedersen, "Using measures of semantic relatedness for word sense disambiguation," in *Procs of the 4th Int. Conf. on Computational Linguistics and Intelligent Text Processing*, ser. CICLing'03. Berlin, Heidelberg: Springer-Verlag, 2003, pp. 241–257.
- [21] A. Budanitsky and G. Hirst, "Evaluating wordnet-based measures of lexical semantic relatedness," *Comput. Linguist.*, vol. 32, no. 1, pp. 13–47, Mar. 2006.
- [22] D. Lin, "An information-theoretic definition of similarity," in *Procs of the 15th Int. Conf. on Machine Learning*, ser. ICML '98. San Francisco, CA, USA: Morgan Kaufmann Publishers Inc., 1998, pp. 296–304.
- [23] N. Seco, T. Veale, and J. Hayes, "An intrinsic information content metric for semantic similarity in wordnet," 2004.
- [24] M. A. Rodríguez and M. J. Egenhofer, "Determining semantic similarity among entity classes from different ontologies," *IEEE Trans. Knowl. Data Eng.*, vol. 15, no. 2, pp. 442–456, 2003.
- [25] Z. Zhou, Y. Wang, and J. Gu, "New model of semantic similarity measuring in wordnet," in *3rd Int. Conf. on Intelligent System and Knowledge Engineering, (ISKE 2008)*, vol. 1, Nov 2008, pp. 256–261.
- [26] K. Toutanova, D. Klein, C. D. Manning, and Y. Singer, "Feature-rich part-of-speech tagging with a cyclic dependency network," in *Procs of the 2003 Conf. of the North American Chapter of the Association for Computational Linguistics on Human Language Technology - Volume 1*, ser. NAACL '03. Stroudsburg, PA, USA: Association for Computational Linguistics, 2003, pp. 173–180.
- [27] M. Kessentini, A. Ouni, P. Langer, M. Wimmer, and S. Bechikh, "Search-based metamodel matching with structural and syntactic measures," *J. Syst. Softw.*, vol. 97, no. C, pp. 1–14, Oct. 2014.
- [28] J. Euzenat, "An api for ontology alignment," in *The Semantic Web – ISWC 2004*, ser. Lecture Notes in Computer Science, S. McIlraith, D. Plexousakis, and F. van Harmelen, Eds. Springer Berlin Heidelberg, 2004, vol. 3298, pp. 698–712.
- [29] D. Aumueller, H.-H. Do, S. Massmann, and E. Rahm, "Schema and ontology matching with coma++," in *Procs of the 2005 ACM SIGMOD Int. Conf. on Management of Data*, ser. SIGMOD '05. New York, NY, USA: ACM, 2005, pp. 906–908.
- [30] Y. Kalfoglou, B. Hu, D. Reynolds, and N. Shadbolt, "Capturing, representing and operationalising semantic integration (crosi) project - final report," University of Southampton, Technical Report, October 2005.
- [31] M. Ehrig, "Foam - framework for ontology alignment and mapping; results of the ontology alignment initiative," in *Procs. of the Workshop on Integrating Ontologies. Volume 156., CEUR-WS.org (2005) 72–76*, 2005, pp. 72 – 76.
- [32] P. Gómez-Abajo, E. Guerra, and J. de Lara, "Wodel: a domain-specific language for model mutation," in *Proceedings of the 31st Annual ACM Symposium on Applied Computing*. ACM, 2016, pp. 1968–1973.
- [33] G. Kappel, H. Kargl, G. Kramler, A. Schauerhuber, M. Seidl, M. Strommer, and M. Wimmer, "Matching metamodels with semantic systems - an experience report," in *Datenbanksysteme in Business, Technologie und Web (BTW 2007), Workshop Proceedings, Aachen, Germany*, 2007, pp. 38–52.
- [34] P. Langer, T. Mayerhofer, and G. Kappel, *Semantic Model Differencing Utilizing Behavioral Semantics Specifications*. Springer International Publishing, 2014, pp. 116–132.
- [35] S. Maoz, J. O. Ringert, and B. Rumpe, "Summarizing semantic model differences," *CoRR*, vol. abs/1409.2307, 2014. [Online]. Available: <http://arxiv.org/abs/1409.2307>
- [36] A. Kuhn, S. Ducasse, and T. Gırba, "Semantic clustering: Identifying topics in source code," *Information and Software Technology*, vol. 49, no. 3, pp. 230 – 243, 2007, 12th Working Conference on Reverse Engineering.
- [37] G. Antoniol, G. Canfora, G. Casazza, A. D. Lucia, and E. Merlo, "Recovering traceability links between code and documentation," *IEEE Transactions on Software Engineering*, vol. 28, no. 10, pp. 970–983, Oct 2002.