

OntoMath^{Edu} Educational Mathematical Ontology: Prerequisites, Educational Levels and Educational Projections

Marina Falileeva ¹ [0000-0003-2228-7551], Alexander Kirillovich ² [0000-0001-9680-449X],
Olga Nevzorova ¹ [0000-0001-8116-9446], Liliana Shakirova ¹ [0000-0001-5758-4076],
Evgeny Lipachev ¹ [0000-0001-7789-2332], Anastasiya Dyupina ¹ [0000-0002-0917-3763]

¹ Kazan Federal University, Kazan, Russia

² Joint Supercomputer Center of the Russian Academy of Sciences, Kazan, Russia

mmwwff@yandex.ru, alik.kirillovich@gmail.com,
onevzoro@gmail.com, liliana008@mail.ru, elipachev@gmail.com,
anastasiya.dupina@yandex.ru

Abstract. The work is dedicated to development of prerequisite relationships of the educational mathematical ontology OntoMath^{Edu}. The concept A is called a prerequisite for the concept B , if a learner must study the concept A before approaching the concept B . OntoMath^{Edu} provides two approaches for defining prerequisite relationships: directly by establishing a relationship between concepts and indirectly by arrangement the concepts by educational levels. Prerequisite relationships and educational projections will be used in developing of digital mathematical educational platform of Kazan Federal University.

Keywords: Prerequisite, Ontology, Mathematical education, OntoMath^{Edu}.

1 Introduction

This work is dedicated to development of prerequisite relationships of the educational mathematical ontology OntoMath^{Edu} [1-3].

This ontology is intended to be a Linked Open Data hub for mathematical education, a linguistic resource for intelligent mathematical language processing and an end-user reference educational database. The ontology is organized in three layers: a foundational ontology layer, a domain ontology layer and a linguistic layer. The domain ontology layer contains language-independent math concepts from the secondary school mathematics curriculum. The concepts are organized in two hierarchies: a hierarchy of objects (such as *Line segment*, *Triangle*, *Inscribed polygon*, or *Pythagorean Theorem*) and a hierarchy of reified relationships (such as *Relationship between a tangent line and a circle*). The linguistic layer contains multilingual lexicons, providing linguistic grounding for the concepts from the domain ontology layer. The foundation ontology layer provides the concepts with meta-ontological annotations. The current version of

Copyright © 2020 for this paper by its authors.

Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

OntoMath^{Edu} contains 896 concepts from the secondary school Euclidean plane geometry curriculum.

OntoMath^{Edu} is a component of OntoMath digital ecosystem [4], an ecosystem of ontologies, text analytics tools, and applications for mathematical knowledge management, including semantic search for mathematical formulas [5] and a recommender system for mathematical papers [6]. OntoMath, in turn, underlines the Lobachevskii-DML digital mathematical library (<https://lobachevskii-dml.ru/>) [7] and a digital educational mathematical platform of Kazan Federal University under development.

For the ontology can be used for educational purposes, the logical relations between concepts must be complemented with the prerequisite ones. The concept A is called a prerequisite for the concept B , if a learner must study the concept A before approaching the concept B . For example, comprehension of the *Addition* concept is required to grasp the concept of *Multiplication*, and, more interesting, to grasp the very concept of *Function*, even though, from the logical point of view the later concept is more fundamental and is used in the definitions of the first two.

Prerequisite relationships are used in such tasks as automatic reading list generation [8], curriculum planning [9, 10], evaluation of educational resources [11] and prediction of academic performance [12].

2 Prerequisites, Educational Levels and Educational Projections

In contrast to logical relationships between concepts, prerequisite relationships are not universal and are relativized to particular education systems: given two concepts A and B , the prerequisite relation can hold between them in one education system, but doesn't hold in another. In particular, for the concept A that is prerequisite of the concept B in one education system, the following options are possible with respect to another education system:

- A is a prerequisite of B too. For example, *Circle* is a prerequisite of *Circumference* in both the Russian and the UK education systems.
- A is a prerequisite of C , and C is a prerequisite of B . For example, in UK education system, *Angle* is a prerequisite of *Alternate interior angles*, while in Russian education system, *Angle* is a prerequisite of *Alternate angles* and *Alternate angles* is prerequisite of *Alternate interior angles*.
- B is a prerequisite of A . There aren't examples of this pattern in the current version of OntoMath^{Edu}, but such pair of concepts can be *Set* and *Function*, or *Circle* and *Disk*.
- A isn't a prerequisite of B , because A and B are learned independently. For example, in the UK education system, *Plane motion* is a prerequisite of *Area of a polygon*, while in the Russian education system it isn't, because *Plane motion* and *Area of a polygon* are independent.

- A isn't a prerequisite of B , because A or B are not studied at all. For example, the prerequisite relation holds between *Angle* and *Complementary angles* concepts in the UK education system, but doesn't hold in the Russian education system, because the *Complementary angles* concept is not studied in it.

OntoMath^{Edu} provides two approaches for defining prerequisite relationships: a direct and an indirect ones.

Direct approach. According to the direct approach, a prerequisite relationship is established directly between two concepts.

In order to relativize the relation to an education system, we intend using of “Descriptions and Situations” (D&S) design pattern, based on the top-level ontology DOLCE + DnS Ultralite [13-15]. However, manual annotation of D&S's is labour-intensive task.

As an alternative, the concepts can be linked by a subproperty of the *has prerequisite* object property, corresponding to education systems, namely: *has prerequisite according to the Russian education system*, *has prerequisite according to the UK education system* and other.

Indirect approach. According to indirect approach, prerequisite relationships are established by arrangement of the concepts by educational levels.

The screenshot shows a window titled "Class: Semicircle" with a close button (X) in the top right corner. Below the title bar are three icons: a pencil (edit), a link (URI), and a list (properties). The main content area is divided into sections:

- IRI:** `http://webprotege.stanford.edu/R7AQQw8t2QCX3SryvUd39IZ`
- Annotations:** A table of properties and their values.

Property	Value	Language	Action
rdfs:label	Semicircle	en	✕
rdfs:label	Полукружность	ru	✕
rdfs:label	Ярымъэйләне	tt	✕
dc:source	https://en.wikipedia.org/wiki/Semicircle	lang	✕
dc:source	https://ru.wikipedia.org/wiki/Полукруг	lang	✕
educational level	7 grade	lang	✕
educational level	Key Stage 4	lang	✕
English educational	https://www.mathsisfun.com/definitions/semicircle.html	lang	✕
has prerequisite	Окружность	lang	✕
Russian educational	https://www.yaklass.ru/p/geometria/7-klass/treugolniki-9112/zada	lang	✕
Enter property	Enter value	lang	

Fig. 1. The *Semicircle* concept, belonging to 7 grade and Key stage 4 education levels

Educational levels are the successive segments of the curriculum of an education system and roughly correspond to education grades. In the UK education system, the education levels are: *Key stage 1* (1st–2nd years of study), *Key stage 2* (3rd–6th years of study), *Key stage 3* (7th–9th years of study), *Key stage 4* (10th–11th years of study). In the Russian education system, the education levels are: *7 grade*, *8 grade*, *8 grade (extended)*, *9 grade*, *9 grade (extended)*, and *Additional program*.




Fig. 2. Educational levels defined in OntoMath^{Edu}

Every concept can belong to one education level of a given education system.

Just like concepts, educational levels are also related by prerequisite relation. The level $L1$ is called a prerequisite for the level $L2$, if a learner must study the content of the level $L1$ before approaching the content of the level $L2$. In terms of the direct prerequisite relationships between concepts, a prerequisite relationship between two levels can be interpreted as follows: if the level $L1$ is called a prerequisite for the level $L2$, then for every concept, belonging to $L2$ there is a prerequisite concept, belonging to $L1$.




Fig. 3. Example of belonging of the concepts to the Russian (left circle) and the UK (right) education systems

Educational projections. Arrangement of concepts to educational levels allows to extract a projection of ontology to an education system (educational projection). An educational projection of the OntoMath^{Edu} ontology to education system S is a fragment of the ontology, containing all the concepts, that belong to educational levels of this education system. For example, the Russian education projection of OntoMath^{Edu} consists in the concepts, belonging to *grade 7*, *grade 8*, *grade 8 (extended)*, etc.

3 Conclusion

In this paper, we describe two approaches for defining prerequisite relationships: directly by establishing a relationship between concepts and indirectly by arrangement the concepts by educational levels. Arrangement of concepts by educational levels, in turn, allows to extract a projection of ontology to an education system (educational projection). Prerequisite relationships and educational projections will be used in developing of digital mathematical educational platform of Kazan Federal University.

This work was funded by RFBR, projects #19-29-14084 and #18-47-160007. Contribution of A. Kirillovich was partially funded by the state assignment to the Federal State Institution “Scientific Research Institute for System Analysis of the Russian Academy of Sciences” for scientific research

References

1. Kirillovich, A., Nevzorova, O., Falileeva, M., Lipachev, E., and Shakirova, L.: OntoMath^{Edu}: a New Linguistically Grounded Educational Mathematical Ontology. In Benzmüller, C. and Miller, B. (eds.) Proceedings of the 13th International Conference on Intelligent Computer Mathematics (CICM 2020). Lecture Notes in Artificial Intelligence, vol. 12236, pp. 157–172. Springer (2020), https://doi.org/10.1007/978-3-030-53518-6_10.
2. Kirillovich, A., Nevzorova, O., Falileeva, M., Lipachev, E., Shakirova, L.: OntoMath^{Edu}: Towards an Educational Mathematical Ontology. In: Edwin Brady, et al. (eds). Workshop Papers at 12th Conference on Intelligent Computer Mathematics (CICM-WS 2019), Prague, Czech Republic, 8–12 July 2019. CEUR Workshop Proceedings, vol. 2634. CEUR-WS.org (2020).
3. Shakirova, L., Falileeva, M., Kirillovich, A., Lipachev, E., Nevzorova, O., Nevzorov, V.: Modeling and Evaluation of the Mathematical Educational Ontology. In: Mikhail Gorbunov-Posadov, et al. (eds). Proceedings of the 21st Conference on Scientific Services & Internet (SSI-2019). CEUR Workshop Proceedings, vol. 2543, pp. 305–319. CEUR-WS.org (2020).
4. Elizarov, A., Kirillovich, A., Lipachev, E., and Nevzorova, O.: Digital Ecosystem OntoMath: Mathematical Knowledge Analytics and Management. In: Kalinichenko, L., Kuznetsov, S., and Manolopoulos, Y. (eds.) XVIII International Conference on Data Analytics and Management in Data Intensive Domains (DAMDID/RCDL 2016). Communications in Computer and Information Science, vol. 706, pp. 33–46. Springer, Cham (2017), https://doi.org/10.1007/978-3-319-57135-5_3.

5. Elizarov, A., Kirillovich, A., Lipachev, E., and Nevzorova, O.: Semantic Formula Search in Digital Mathematical Libraries. In: Proceedings of the 2nd Russia and Pacific Conference on Computer Technology and Applications (RPC 2017), pp. 39–43. IEEE (2017), <https://doi.org/10.1109/RPC.2017.8168063>.
6. Elizarov, A. M., Kirillovich, A. V., Lipachev, E. K., Zhizhchenko, A. B., and Zhil'tsov, N. G.: Mathematical Knowledge Ontologies and Recommender Systems for Collections of Documents in Physics and Mathematics. In: Doklady Mathematics **93**(2), 231–233 (2016), <https://doi.org/10.1134/S1064562416020174>.
7. Elizarov, A.M. and Lipachev, E.K.: Lobachevskii DML: Towards a semantic digital mathematical library of Kazan University. In: Leonid Kalinichenko, et al (eds.) Selected Papers of the XIX International Conference on Data Analytics and Management in Data Intensive Domains (DAMDID/RCDL 2017). CEUR Workshop Proceedings, vol. 2022, pp. 326–333. CEUR-WS.org (2017).
8. Gordon, J., Aguilar, S., Sheng, E., and Burns, G.: Structured Generation of Technical Reading Lists. In: Tetreault J., et al. (eds.) Proceedings of the 12th Workshop on Innovative Use of NLP for Building Educational Applications (BEA 2017), pp. 261–270. ACL (2017).
9. Agrawal, R., Golshan, B., and Papalexakis, E.: Data-Driven Synthesis of Study Plans: Technical Report TR-2015-003. Data Insights Laboratories (2015). <https://web.archive.org/web/20160207113043/http://www.datainsightslaboratories.com/wp-content/uploads/2015/03/TR-2015-003.pdf>.
10. Auvinen, T., Paavola, J., and Hartikainen, J.: STOPS: a graph-based study planning and curriculum development tool. In: Proceedings of the 14th Koli Calling International Conference on Computing Education Research (Koli Calling '14), pp. 25–34. ACM (2014), <https://doi.org/10.1145/2674683.2674689>.
11. Rouly, J.M., Rangwala, H., and Johri, A.: What Are We Teaching?: Automated Evaluation of CS Curricula Content Using Topic Modeling. In: Dorn B., et al. (eds.) Proceedings of the 11th annual International Conference on International Computing Education Research (ICER '15), pp. 189–197. ACM (2015), <https://doi.org/10.1145/2787622.2787723>.
12. Polyzou, A. and Karypis, G.: Grade prediction with models specific to students and courses. International Journal of Data Science and Analytics **2**(3–4), 159–171 (2016), <https://doi.org/10.1007/s41060-016-0024-z>.
13. Borgo, S. and Masolo, C.: Ontological Foundations of DOLCE. In: Poli, R., Healy, M., and Kameas, A. (eds.) Theory and Applications of Ontology: Computer Applications, pp. 279–295. Springer, Dordrecht (2010), https://doi.org/10.1007/978-90-481-8847-5_13.
14. Borgo, S. and Masolo, C.: Foundational Choices in DOLCE. In: Staab, S. and Studer, R. (eds.) Handbook on Ontologies, pp. 361–381. Springer, Berlin, Heidelberg (2009), https://doi.org/10.1007/978-3-540-92673-3_16.
15. Gangemi, A. and Mika, P.: Understanding the Semantic Web through Descriptions and Situations. In: Proceedings of the OTM Confederated International Conferences “On The Move to Meaningful Internet Systems 2003: CoopIS, DOA, and ODBASE” (OTM 2003). Meersman, R., Tari, Z., and Schmidt, D. C. (eds.) Lecture Notes in Computer Science, vol. 2888, pp. 689–706. Springer, Berlin, Heidelberg (2003), https://doi.org/978-3-540-39964-3_44.