

- [11] GAIA DR1 (Gaia Collaboration 2016) A. G. A. Brown et al.: Gaia Data Release 1 Summary of the Astrometric, Photometric, and Survey Properties. *Astron. Astrophys.*, 595, id.A2, 23, pp. (I/337/tgas) (2016). doi: 10.1051/0004-6361/201629512
- [12] Galli, P.A.B., Moraux, E., Bouy, H., Bouvier, J., Olivares, J., Teixeira, R.: A Revised Moving Cluster Distance to the Pleiades Open Cluster. *Astron. Astrophys.*, 598, A48, p. 22 (2017). doi: 10.1051/0004-6361/201629239
- [13] IOPscience. <http://iopscience.iop.org>
- [14] Kharchenko, N.V., Piskunov, A.E., Schilbach, E., Röser, S., Scholz, R.-D.: Global Survey of Star Clusters in the Milky Way. II. The Catalogue of Basic Parameters. *Astron. Astrophys.*, 558 (A53), pp. 1-8 (2013). doi: 10.1051/0004-6361/201322302
- [15] Larson, R.B.: Implications of Binary Properties for Theories of Star Formation. The Formation of Binary Stars. Proc. of IAU Symp. 200, held 10–15 April 2000, Potsdam, Germany, Ed. H. Zinnecker and R. D. Mathieu, p. 93 (2001)
- [16] Liu, F., Yong, D., Asplund, M., Ramírez, I., Meléndez, J.: The Hyades Open Cluster is Chemically Inhomogeneous. *Mon. Not. R. Astron. Soc.*, 457 (4), pp. 3934-3948 (2016). doi:10.1093/mnras/stw247
- [17] Lynga, G.: VizieR On-line Data Catalog. Open Cluster Data. VII/92A. 5th Edition (1987). Originally published in: Lund Observatory (1995)
- [18] Mamajek, E.E.: A Moving Cluster Distance to the Exoplanet 2M1207b in the TW Hydrae Association. *Astrophys. J.*, 634 (2), pp. 1385-1394 (2005). doi: 10.1086/468181
- [19] Mamajek, E.E.: A Pre-Gaia Census of Nearby Stellar Groups. In: Young Stars & Planets Near the Sun, Proc. of the Int. Astronomical Union, IAU Symposium, 314. pp. 21-26 (2016). doi: 10.1017/S1743921315006250
- [20] Melis, C., Reid, M.J., Mioduszewski, A.J., Stauffer, J.R., Bower, G.C.: A VLBI Resolution of the Pleiades Distance Controversy. *Science*, 345 (6200), pp. 1029-1032 (2014). doi: 10.1126/science.1256101
- [21] Kunder, A., and 53 coauthors: The Radial Velocity Experiment (RAVE): Fifth Data Release. *Astron. J.*, 153 (2), article id. 75, 30 p. (2017). doi: 10.3847/1538-3881/153/2/75
- [22] Schmeja, S., Kharchenko, N.V., Piskunov, A.E., Röser, S., Schilbach, E., Froebrich, D., Scholz, R.-D.: Global Survey of Star Clusters in the Milky Way. III. 139 New Open Clusters at high Galactic Latitudes. *Astron. Astrophys.*, 568 (A51), pp. 1-9 (2014). doi: 10.1051/0004-6361/201322720
- [23] Scholz, R.-D., Kharchenko, N.V., Piskunov, A.E., Röser, S., Schilbach, E.: Global Survey of Star Clusters in the Milky Way. IV. 63 New Open Clusters Detected by Proper Motions. *Astron. Astrophys.*, 581 (A39), pp. 1-15 (2015). doi: 10.1051/0004-6361/201526312
- [24] Science direct. <http://www.sciencedirect.com/>
- [25] Sieglar, N., Muzerolle, J., Young, E.T., Rieke, G.H., Mamajek, E.E., Trilling, D.E., Gorlova, N., Su, K.Y.L.: Spitzer 24 μ m Observations of Open Cluster IC 2391 and Debris Disk Evolution of FGK Stars. *Astrophys. J.*, 654, pp. 580-594 (2007). doi: 10.1086/509042
- [26] SIMBAD Astronomical Database. <http://simbad.u-strasbg.fr/simbad/>
- [27] The SAO/NASA Astrophysics Data System. <http://www.adsabs.harvard.edu>
- [28] Vereshchagin, S.V., Chupina, N.V., Sariya, D.P., Yadav, R.K.S., Kumar, B.: Apex Determination and Detection of Stellar Clumps in the Open Cluster M 67. *New Astron.* 31, pp.43-50 (2014). doi: 10.1016/j.newast.2014.02.008
- [29] van Albada, T.S.: The Evolution of Small Stellar Systems and its Implications for the Formation of Double Stars. *Bull. Astron. Inst. Netherlands*, 20, p. 57 (1968)
- [30] van den Berk, J., Portegies Zwart, S.F., McMillan, S.L.W.: The Formation of Higher Order Hierarchical Systems in Star Clusters. *Mon. Not. R. Astron. Soc.*, 379 (1), pp. 111-122 (2007). doi: 10.1111/j.1365-2966.2007.11913.x
- [31] VizieR Catalogue Service. <http://vizier.u-strasbg.fr>
- [32] WEBDA. A Site Devoted to Stellar Clusters in the Galaxy and the Magellanic Clouds. <http://www.univie.ac.at/webda/webda.html>
- [33] Wiley Online Library. <http://onlinelibrary.wiley.com>
- [34] Walker, M.F.: Studies of Extremely Young Clusters. V. Stars in the Vicinity of the Orion Nebula. *Astrophys. J.*, 155, p. 447 (1969). doi: 10.1086/149881
- [35] Бархатова, К.А.: Атлас диаграмм цвет – светимости рассеянных звездных скоплений. М.: Изд-во АН СССР, 127 с. (1958)
- [36] Верещагин, С.В., Чупина, Н.В., Фионов, А.С.: Звездные скопления: развитие знаний на основе интенсивного использования данных. Труды XVIII Межд. конф. «Аналитика и управление данными в областях с интенсивным использованием данных», DAMDID/ RCDL'2016, под ред. Л.А. Калиниченко, Я. Манолопулоса, С.О. Кузнецова, сс. 323-327 (2016)
- [37] Рубинов, А.В., Орлов, В.В.: Задача N тел в звездной динамике. Учебное пособие. Санкт-Петербург: Изд-во С-Пб. университета, 97 с. (2008)
- Пискунов, А.Э.: Каталог масс и возрастов 68 рассеянных скоплений. М.: Изд-во «Астрономический Совет АН СССР» (1977)