

Ontology Matching

OM-2020

Proceedings of the ISWC Workshop

Introduction

Ontology matching¹ is a key interoperability enabler for the semantic web, as well as a useful tactic in some classical data integration tasks dealing with the semantic heterogeneity problem. It takes ontologies as input and determines as output an alignment, that is, a set of correspondences between the semantically related entities of those ontologies. These correspondences can be used for various tasks, such as ontology merging, data translation, query answering or navigation over knowledge graphs. Thus, matching ontologies enables the knowledge and data expressed with the matched ontologies to interoperate.

The workshop had three goals:

- To bring together leaders from *academia*, *industry* and *user institutions* to assess how academic advances are addressing real-world requirements. The workshop strives to improve academic awareness of industrial and final user needs, and therefore, direct research towards those needs. Simultaneously, the workshop serves to inform industry and user representatives about existing research efforts that may meet their requirements. The workshop also investigated how the ontology matching technology is going to evolve.
- To conduct an extensive and rigorous evaluation of ontology matching and instance matching (link discovery) approaches through the OAEI (Ontology Alignment Evaluation Initiative) 2020 campaign².
- To examine similarities and differences from other, old, new and emerging, techniques and usages, such as process matching, web table matching or knowledge embeddings.

The program committee selected 6 long and 4 short submissions for oral presentation and 6 submissions for poster presentation. 19 matching systems participated in this year's OAEI campaign. Further information about the Ontology Matching workshop can be found at: <http://om2020.ontologymatching.org/>.

¹<http://www.ontologymatching.org/>

²<http://oaei.ontologymatching.org/2020>

Acknowledgments. We thank all members of the program committee, authors and local organizers for their efforts. We appreciate support from the Trentino as a Lab³ initiative of the European Network of the Living Labs⁴ at Trentino Digitale⁵, the EU SEALS (Semantic Evaluation at Large Scale) project⁶, the EU HOBBIT (Holistic Benchmarking of Big Linked Data) project⁷, the Pistoia Alliance Ontologies Mapping project⁸ and IBM Research⁹.



*Pavel Shvaiko
Jérôme Euzenat
Ernesto Jiménez-Ruiz
Oktie Hassanzadeh
Cássia Trojahn*

December 2020

³www.facebook.com/trentinoasalab

⁴www.openlivinglabs.eu

⁵www.trentinodigitale.it

⁶www.seals-project.eu

⁷<https://project-hobbit.eu/challenges/om2020/>

⁸www.pistoiaalliance.org/projects/current-projects/ontologies-mapping

⁹research.ibm.com

Organization

Organizing Committee

Pavel Shvaiko,
Trentino Digitale SpA, Italy

Jérôme Euzenat,
INRIA & University Grenoble Alpes, France

Ernesto Jiménez-Ruiz,
City, Univeristy of London, UK & SIRIUS, Univeristy of Oslo, Norway

Oktie Hassanzadeh,
IBM Research, USA

Cássia Trojahn,
IRIT, France

Program Committee

Alsayed Algergawy, *Jena University, Germany*
Manuel Atencia, *University Grenoble Alpes & INRIA, France*
Zohra Bellahsene, *LIRMM, France*
Jiaoyan Chen, *University of Oxford, UK*
Valerie Cross, *Miami University, USA*
Jérôme David, *University Grenoble Alpes & INRIA, France*
Gayo Diallo, *University of Bordeaux, France*
Daniel Faria, *Instituto Gulbenkian de Ciência, Portugal*
Alfio Ferrara, *University of Milan, Italy*
Marko Gulić, *University of Rijeka, Croatia*
Wei Hu, *Nanjing University, China*
Ryutaro Ichise, *National Institute of Informatics, Japan*
Antoine Isaac, *Vrije Universiteit Amsterdam & Europeana, Netherlands*
Naouel Karam, *Fraunhofer, Germany*
Prodromos Kolyvakis, *EPFL, Switzerland*
Patrick Lambrix, *Linköpings Universitet, Sweden*
Oliver Lehmberg, *University of Mannheim, Germany*
Majeed Mohammadi, *TU Delft, Netherlands*
Peter Mork, *MITRE, USA*
Andriy Nikolov, *Metaphacts GmbH, Germany*
George Papadakis, *University of Athens, Greece*
Catia Pesquita, *University of Lisbon, Portugal*

Henry Rosales-Méndez, *University of Chile, Chile*
Kavitha Srinivas, *IBM, USA*
Giorgos Stoilos, *Huawei Technologies, Greece*
Pedro Szekely, *University of Southern California, USA*
Ludger van Elst, *DFKI, Germany*
Xingsi Xue, *Fujian University of Technology, China*
Ondřej Zamazal, *Prague University of Economics, Czech Republic*
Songmao Zhang, *Chinese Academy of Sciences, China*

Table of Contents

Long Technical Papers

| | |
|---|----|
| Using domain lexicon and grammar for ontology matching <i>Francisco José Quesada Real, Gábor Bella, Fiona McNeill, Alan Bundy</i> | 1 |
| Semantic schema mapping for interoperable data-exchange <i>Harshvardhan J. Pandit, Damien Graux, Fabrizio Orlandi, Ademar Crotti Junior, Declan O’Sullivan, Dave Lewis</i> | 13 |
| A gold standard dataset for large knowledge graphs matching <i>Omaira Fallatah, Ziqi Zhang, Frank Hopfgartner</i> | 24 |
| Applying edge-counting semantic similarities to link discovery: scalability and accuracy <i>Kleanthi Georgala, Mohamed Ahmed Sherif, Michael Röder, Axel-Cyrille Ngonga Ngomo</i> | 36 |
| LIGON - link discovery with noisy oracles <i>Mohamed Ahmed Sherif, Kevin Dreßler, Axel-Cyrille Ngonga Ngomo</i> | 48 |
| Supervised ontology and instance matching with MELT <i>Sven Hertling, Jan Portisch, Heiko Paulheim</i> | 60 |

Short Technical Papers

| | |
|--|----|
| Learning reference alignments for ontology matching within and across domains <i>Beatriz Lima, Ruben Branco, João Castanheira, Gustavo Fonseca, Catia Pesquita</i> | 72 |
| SUBINTERNM: optimizing the matching of networks of ontologies <i>Fabio Santos, Kate Revoredo, Fernanda Baião</i> | 77 |
| A survey of OpenRefine reconciliation services <i>Antonin Delpéuch</i> | 82 |
| LIGER - link discovery with partial recall <i>Kleanthi Georgala, Mohamed Ahmed Sherif, Axel-Cyrille Ngonga Ngomo</i> | 87 |

OAEI Papers

| | |
|--|-----|
| Results of the Ontology Alignment Evaluation Initiative 2020 <i>Mina Abd Nikooie Pour, Alsayed Algergawy, Reihaneh Amini, Daniel Faria, Irini Fundulaki, Ian Harrow, Sven Hertling, Ernesto Jiménez-Ruiz, Clement Jonquet, Naouel Karam, Abderrahmane Khiat, Amir Laadhar, Patrick Lambrix, Huanyu Li, Ying Li, Pascal Hitzler, Heiko Paulheim, Catia Pesquita, Tzanina Saveta, Pavel Shvaiko, Andrea Splendiani, Elodie Thiéblin, Cássia Trojahn, Jana Vataščinová, Beyza Yaman, Ondřej Zamazal, Lu Zhou</i> | 92 |
| ALIN results for OAEI 2020 <i>Jomar da Silva, Carla Delgado, Kate Revoredo, Fernanda Baião</i> | 139 |
| ALOD2Vec matcher results for OAEI 2020 <i>Jan Portisch, Michael Hladik, Heiko Paulheim</i> | 147 |
| OAEI 2020 results for AML and AMLC <i>Beatriz Lima, Daniel Faria, Francisco M. Couto, Isabel F. Cruz, Catia Pesquita</i> | 154 |
| AROA results for OAEI 2020 <i>Lu Zhou, Pascal Hitzler</i> | 161 |
| ATBox results for OAEI 2020 <i>Sven Hertling, Heiko Paulheim</i> | 168 |
| Results of CANARD in OAEI 2020 <i>Elodie Thiéblin, Ollivier Haemmerlé, Cássia Trojahn</i> | 176 |
| DESKMatcher <i>Michael Monych, Jan Portisch, Michael Hladik, Heiko Paulheim</i> | 181 |
| FTRLIM results for OAEI 2020 <i>Xiaowen Wang, Yizhi Jiang, Hongfei Fan, Hongming Zhu, Qin Liu</i> | 187 |
| Lily results for OAEI 2020 <i>Yunyan Hu, Shaochen Bai, Shiyi Zou, Peng Wang</i> | 194 |
| LogMap family participation in the OAEI 2020 <i>Ernesto Jiménez-Ruiz</i> | 201 |
| OntoConnect: results for OAEI 2020 <i>Jaydeep Chakraborty, Beyza Yaman, Luca Virgili, Krishanu Konar, Srividya Bansal</i> | 204 |

| | |
|--|-----|
| RE-miner for data linking results for OAEI 2020 <i>Armita Khajeh Nassiri, Nathalie Pernelle, Fatiha Saïs, Gianluca Quercini</i> | 211 |
| VeeAlign: a supervised deep learning approach to ontology alignment <i>Vivek Iyer, Arvind Agarwal, Harshit Kumar</i> | 216 |
| Wiktionary matcher results for OAEI 2020 <i>Jan Portisch, Heiko Paulheim</i> | 225 |

Posters

| | |
|---|-----|
| Ontology alignment in ecotoxicological effect prediction <i>Erik B. Myklebust, Ernesto Jiménez-Ruiz, Jiaoyan Chen, Raoul Wolf, Knut Erik Tollefsen</i> | 233 |
| Towards semantic alignment of heterogeneous structures and its application to digital humanities <i>Renata Vieira, Cássia Trojahn</i> | 235 |
| Ontology matching for the laboratory analytics domain <i>Ian Harrow, Thomas Liener, Ernesto Jiménez-Ruiz</i> | 237 |
| Towards matching of domain ontologies to cross-domain ontology: evaluation perspective <i>Martin Šatra, Ondřej Zamazal</i> | 239 |
| Towards a vocabulary for mapping quality assessment <i>Alex Randles, Ademar Crotti Junior, Declan O’Sullivan</i> | 241 |
| TableCNN: deep learning framework for learning tabular data <i>Pranav Sankhe, Elham Khabiri, Bhavna Agrawal, Yingjie Li</i> | 243 |

