

Towards cooperative argumentation for MAS: An actor-based approach

Giuseppe Pisano¹, Roberta Calegari¹ and Andrea Omicini²

¹*Alma AI – Alma Mater Research Institute for Human-Centered Artificial Intelligence, ALMA MATER STUDIORUM—Università di Bologna, Italy*

²*Dipartimento di Informatica – Scienza e Ingegneria (DISI), ALMA MATER STUDIORUM—Università di Bologna, Italy*

Abstract

We discuss the problem of cooperative argumentation in multi-agent systems, focusing on the computational model. An actor-based model is proposed as a first step towards cooperative argumentation in multi-agent systems to tackle distribution issues—illustrating a preliminary fully-distributed version of the argumentation process completely based on message passing.

Keywords

Argumentation, MAS, cooperative argumentation, distributed argumentation process

1. Introduction

One of the most critical problems in distributed and collaborative multi-agent systems (MAS) – where agents cooperate towards a goal – is conflict resolution, where *argument evaluation* often plays a critical role [1]: agents can provide explicit arguments or justifications for their proposals for resolving conflicts by exploiting the so-called negotiation via argumentation, or *cooperative argumentation*, as an effective approach to resolving conflicts. There, the purpose of multi-agent argumentative dialogues is to let agents reach an agreement on (i) the evaluation of goals and corresponding actions (or plans); and (ii) the adoption of a decentralised strategy for reaching a goal, by allowing agents to refine or revise other agents' goals and defend one's proposals.

Cooperative argumentation is exploited in some real-world multi-agent applications [2]. However, a key problem in such applications is that a widely-acknowledged well-founded computational model of argumentation is currently missing, thus making it difficult to investigate the convergence and scalability of argumentation techniques in highly-distributed environments [1, 2]. To alleviate those difficulties, we present a first version of a message-based distributed argumentation algorithm as the basic pillar of a computational model for cooperative argumentation in MAS. In this work we ignore issues such as agent autonomy and MAS coordination artefacts, and focus instead on the distribution issues of cooperative argumentation, based on the logic-based agreement framework Arg2P [3, 4], which enables agent dialogue and defeasible reasoning in MAS. In particular, we focus on the single-query evaluation mode

WOA'21: 22nd Workshop "From Objects to Agents", September 01–03, 2021, Bologna, Italy

✉ g.pisano@unibo.it (G. Pisano); roberta.calegari@unibo.it (R. Calegari); andrea.omicini@unibo.it (A. Omicini)

🆔 0000-0003-0230-8212 (G. Pisano); 0000-0003-3794-2942 (R. Calegari); 0000-0002-6655-3869 (A. Omicini)



© 2020 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

 CEUR Workshop Proceedings (CEUR-WS.org)

of the tool, aimed at evaluating the admissibility of a single statement with no need to build the entire argumentation graph. We propose a preliminary fully-distributed version of the argumentation algorithm, based on message passing, whose focus is on the requirements for a sound distributed evaluation of the argumentation task. For the purpose of this paper we exploit the actors' paradigm and its main properties—i.e., (i) fully-reactive computational nodes, and (ii) communication through message passing.

Accordingly, the paper is structured as follows. In Section 2 we give an overview of the main themes on which the paper is focused. Section 3 and Section 4 illustrate the contribution, introducing a distributed computational model that enables the assessment via argumentation of a single argument. In particular, Section 3 first discusses how the argument evaluation algorithm of Arg2P can be parallelised, then addresses the problem of knowledge manipulation in a decentralised setting. In Section 4 we deliver a complete and coherent model for decentralised reasoning based on the actor model. Finally, in Section 5 we provide the final remarks and discuss the aspects of this work that are still open for improvement and future research.

2. Preliminaries

2.1. A basic intro to structured argumentation

In the argumentation language, a literal is an atomic proposition or its negation.

Notation 1. For any literal ϕ , its complement is denoted by $\bar{\phi}$. That is, if ϕ is a proposition p , then $\bar{\phi} = \neg p$, while if ϕ is $\neg p$, then $\bar{\phi}$ is p .

Literals are brought into relation through rules.

Definition 1 (Rules). A *defeasible rule* r has the form: $\rho : \phi_1, \dots, \phi_n \Rightarrow \psi$ with $0 \leq n$, and where

- ρ is the unique identifier for r ;
- each $\phi_1, \dots, \phi_n, \psi$ is a literal;
- the set $\{\phi_1, \dots, \phi_n\}$ is denoted by $Antecedent(r)$ and ψ by $Consequent(r)$.

Defeasible rules – denoted with $DefRules$ – are rules that can be defeated by contrary evidence. Pragmatically, a defeasible rule is used to represent defeasible knowledge, i.e., tentative information that may be used if nothing could be posed against it. For the sake of simplicity, we define non-axiom premises via defeasible rules with empty *Antecedent*. A theory consists of a set of rules.

Definition 2 (Theory). A *defeasible theory* is a set $Rules \subseteq DefRules$.

Arguments are built from defeasible rules. Given a defeasible theory, arguments can be constructed by chaining rules from the theory, as specified in the definition below—cf. [5].

Definition 3 (Argument). An *argument* A constructed from a defeasible theory $\langle Rules \rangle$ is a finite construct of the form:

$$A : A_1, \dots, A_n \Rightarrow_r \phi$$

with $0 \leq n$, where

- r is the top rule of A , denoted by $\text{TopRule}(A)$;
- A is the argument's unique identifier;
- $\text{Sub}(A)$ denotes the entire set of subarguments of A , i.e., $\text{Sub}(A) = \text{Sub}(A_1) \cup \dots \cup \text{Sub}(A_n) \cup \{A\}$;
- ϕ is the conclusion of the argument, denoted by $\text{Conc}(A)$;

Arguments can be in conflict, accordingly to two kinds of attack: rebuts and undercutting, here defined as in [5].

Definition 4 (Attack). An argument A **attacks** an argument B (i.e., A is an **attacker** of B) at $B' \in \text{Sub}(B)$ iff A undercuts or rebuts B (at B'), where:

- A undercuts B (at B') iff $\text{Conc}(A) = \overline{\text{TopRule}(B')}$
- A rebuts B (at B') iff $\text{Conc}(A) = \bar{\phi}$ and $\text{Conc}(B') = \phi$

An argumentation graph can then be defined exploiting arguments and attacks.

Definition 5 (Argumentation graph). An **argumentation graph** constructed from a defeasible theory T is a tuple $\langle \mathcal{A}, \rightsquigarrow \rangle$, where \mathcal{A} is the set of all arguments constructed from T , and \rightsquigarrow is the attack relation over \mathcal{A} .

Notation 2. Given an argumentation graph $G = \langle \mathcal{A}, \rightsquigarrow \rangle$, we write \mathcal{A}_G , and \rightsquigarrow_G to denote the graph's arguments and attacks respectively.

Given an argumentation graph, we leverage on labelling semantics [6, 7] to compute the sets of arguments that are accepted or rejected. Accordingly, each argument is associated with one label which is either IN, OUT, or UND—respectively meaning that the argument is either accepted, rejected, or undecided.

2.2. Structured evaluation in Arg2P

The Arg-tuProlog (Arg2P in short) [3, 4] engine is a logic-based agreement framework enabling defeasible reasoning and agents' conversation, which reifies the structured argumentation model presented above.

With respect to the available argumentation frameworks, Arg2P includes the *query-based* mode, which allows for single-query evaluation according to the selected semantics¹. Single-query evaluation is precisely the algorithm we are interested in, given that cooperative argumentation in highly-reactive systems is often based on a quick debate on some beliefs – those

¹At the time of writing, only grounded semantic is fully implemented

Listing 1: Structured argumentation, Arg2P answer query algorithm for grounded semantic (pseudo-code).

```

AnswerQuery(Goal):
  A1, ..., An = buildSustainingArguments(Goal)
  Res = ∅
  for A in A1, ..., An:
    Res = Res ∪ Evaluate(A, ∅)
  return Res.

Evaluate(A, Chain):
  if(∃ B ∈ Attacker(A): Evaluate(B, A ∪ Chain) = IN)
    return OUT
  if(∃ B ∈ Attacker(A): B ∈ Chain)
    return UND
  if(∃ B ∈ Attacker(A): Evaluate(B, A ∪ Chain) = UND)
    return UND
  return IN.

```

concerning the decision to be made at that moment – rather than on a complete assessment of all the agents’ knowledge—where a shared agreement is not easily achieved.

This feature is accessible in the tool through the predicate

$$\text{answerQuery}(+Goal, -Yes, -No, -Und)$$

which requests the evaluation of the given *Goal*, and gets the set of facts matching the goal distributed in the three sets IN, OUT, and UND as a result.

The algorithm used to evaluate a single claim (or query) according to grounded semantic is inspired by the *DeLP* dialectical trees evaluation [8]. Listing 1 shows the pseudo-code – AnswerQuery(Goal) – for the answerQuery/4 predicate: given a claim (Goal) as input, the function first builds all the arguments sustaining that claim (buildSustainingArguments(Goal)), and then requires their evaluation via the Evaluate(A, Chain) function. To assess the A_1, \dots, A_n status (acceptability or rejection), three conditions are evaluated—whose order is important to ensure the soundness of the algorithm:

- (Cond1) if a conflicting argument labelled as IN exists, then A_1 is OUT;
- (Cond2) if a cycle in the route from the root to the leaves (Chain) exists, then A_1 argument is UND;
- (Cond3) if a conflicting argument labelled as UND exists, then also the A_1 argument is UND.

If none of the above conditions is met then the argument can be accepted.

Example 1. Let us consider the following theory and the corresponding arguments (also depicted in Figure 1)

$r1 : \Rightarrow a$	$A0 : \Rightarrow_{r1} a$
$r2 : a \Rightarrow b$	$A1 : A0 \Rightarrow_{r2} b$
$r3 : \Rightarrow \neg b$	$A2 : \Rightarrow_{r3} \neg b$
$r4 : b \Rightarrow c$	$A3 : A1 \Rightarrow_{r4} c$




Figure 1: Argumentation graph for arguments from Example 1, in which nodes are arguments and edges are attacks between arguments.

where, according to grounded semantics $A0$ is IN – there are no arguments contending its claim or undercutting its inferences – while $A1$, $A2$ and $A3$ are UND— $A1$ and $A2$ have opposite conclusions and thus attack each other; the conflict is then propagated to the derived argument $A3$.

Let us suppose we require the evaluation of claim b through the `AnswerQuery(Goal)` function in Listing 1. First, the arguments sustaining b are created, in this case only $A1$. Then the evaluation conditions on $A1$ attackers – only $A2$ in this case – are assessed. However, $A2$ admissibility depends, in turn, on $A1$ —as you can see in Figure 1 also $A1$ attacks $A2$. There is a cycle in the graph (Cond2), and no other attackers matching (Cond1). As a consequence, $A2$ is UND and thus $A1$ (Cond3). Accordingly, claim b is labelled UND as expected.

3. Parallelising arguments evaluation

The first issue when facing computational issues of cooperative argumentation is the parallelisation of the argumentation process. Parallelisation needs to be tackled under two distinct perspective: (i) the algorithmic perspective and (ii) the data perspective. Under the algorithmic perspective, we try to divide the argument evaluation (w.r.t. a given semantics) into smaller sub-tasks to be executed in parallel. Under the data perspective, instead, we try to achieve parallelisation by splitting the data used by the algorithm—i.e., the argumentation defeasible theory. Action here is therefore at the data level, looking for possible data partitioning on which the argumentation process can be run in parallel.

Accordingly, in this section we discuss and address both perspectives, respectively in Subsection 3.1 and Subsection 3.2.

3.1. Task parallelisation

Let us consider the algorithm discussed in Subsection 2.2. The purpose of this section is to analyse the requirements and implications of its parallelisation. Note that the part affected to parallelisation is encapsulated in the `Evaluate` function, which is why in the following we take into account that predicate only.

The algorithm structure is simple: the argument evaluation leverages the evaluation obtained from its attackers—i.e., the attackers are recursively evaluated using the same algorithm and

the result is exploited to determine the state of the target argument. Intuitively, a first point of parallelisation can be found in the search and evaluation of the Attackers. Indeed, every condition exploited by the algorithm – (Cond1), (Cond2), and (Cond3) – to evaluate an argument requires one and only one attacker to match the constraint. Those conditions directly suggest an OR parallelisation in the search and evaluation of the attackers. We could evaluate the arguments simultaneously under different branches, and the success in one of the branches would lead to the success of the entire search. Listing 2 shows the modified algorithm.

Listing 2: Evaluate predicate with parallel attackers

```

Evaluate(A, Chain):
  if(PARALLEL {  $\exists B \in \text{Attacker}(A): \text{Evaluate}(B, A \cup \text{Chain}) = \text{IN}$  })
    return OUT
  if(PARALLEL {  $\exists B \in \text{Attacker}(A): B \in \text{Chain}$  })
    return UND
  if(PARALLEL {  $\exists B \in \text{Attacker}(A): \text{Evaluate}(B, A \cup \text{Chain}) = \text{UND}$  })
    return UND
  return IN

```

The algorithm exposes another point of parallelisation. As already suggested, the order in the evaluation of the conditions is essential for the soundness of the algorithm—as illustrated by the following example.

Example 2. *Let us consider argument A and its two attackers B and C . Let it be the case in which we know B and C 's labelling, IN for the former and UND for the latter. If we do not respect the order dictated by the algorithm, A 's labelling is either UND (Cond3) or OUT (Cond1). Of course, the first result would be in contrast with the original grounded semantic requirements for which every argument having an IN attacker should be definitively OUT. Conversely, if we respect the evaluation order, A 's labelling would be OUT in every scenario.*

Although the evaluation order is strict, we can evaluate all the conditions simultaneously and consider the ordering only while providing the labelling for the target argument (mixing AND and OR parallelisation). Listing 3 displays the algorithm modified accordingly. The three conditions are evaluated in parallel, but the result is given accordingly to the defined priorities. If (Cond1) is met, the argument is labelled as OUT. Conversely, even if (Cond2) or (Cond3) are met, one should first verify that (Cond1) does not hold. Only then the argument can be labelled as UND.

Listing 4 contains the final version of the algorithm taking into account both points of parallelisation. The three conditions – (Cond1), (Cond2) and (Cond3) – are evaluated at the same time. Then the results of the three sub-tasks are combined to provide the final solution according to the conditions' priority. Of course, if we consider a scenario where only the first condition (Cond1) is required to determine the status of the argument in input, the parallel evaluation of all the three conditions would lead to a waste of computational resources. However, this problem is easily mitigated by evaluating the sub-task results as soon as they are individually available—i.e. in the case we receive a positive result from a single sub-task, and it is enough to

Listing 3: Evaluate predicate with parallel conditions evaluation

```
Evaluate(A, Chain):
  PARALLEL {
    Cond1 =  $\exists B \in \text{Attacker}(A): \text{Evaluate}(B, A \cup \text{Chain}) = \text{IN}$ 
    Cond2 =  $\exists B \in \text{Attacker}(A): B \in \text{Chain}$ 
    Cond3 =  $\exists B \in \text{Attacker}(A): \text{Evaluate}(B, A \cup \text{Chain}) = \text{UND}$ 
  }
  if(Cond1) return OUT
  if(Cond2 AND NOT Cond1) return UND
  if(Cond3 AND NOT Cond1) return UND
  if(NOT Cond1 AND NOT Cond2 AND NOT Cond3) return IN
```

Listing 4: Evaluate predicate with both parallel conditions evaluation and parallel attackers

```
Evaluate(A, Chain):
  PARALLEL {
    Cond1 = PARALLEL {  $\exists B \in \text{Attacker}(A): \text{Evaluate}(B, A \cup \text{Chain}) = \text{IN}$  }
    Cond2 = PARALLEL {  $\exists B \in \text{Attacker}(A): B \in \text{Chain}$  }
    Cond3 = PARALLEL {  $\exists B \in \text{Attacker}(A): \text{Evaluate}(B, A \cup \text{Chain}) = \text{UND}$  }
  }
  if(Cond1) return OUT
  if(Cond2 AND NOT Cond1) return UND
  if(Cond3 AND NOT Cond1) return UND
  if(NOT Cond1 AND NOT Cond2 AND NOT Cond3) return IN
```

compute the argument status, we can cut the superfluous computational branches and return the final solution.

3.2. Knowledge-base parallelisation

In the first part of our analysis, we focused on the parallelisation problem from a pure computational perspective—i.e., we tried to understand if we can split the evaluation task into a group of sub-task to be executed simultaneously. However, there is another perspective to take into account when parallelising: the one concerning the data.

Example 3. *For example, let us consider a job computing the sum and the product of a set of numbers. Using the sub-task approach, we could have two subroutines running in parallel, one computing the sum and the other computing the product of the numbers. However, leveraging the associativity property of sum and multiplication, we can split the problem into a series of tasks computing both sum and product on a subset of the original data. Then the final result would be the sum and the multiplication of the tasks' results.*

Let us suppose to apply the same principle to the argumentation task. We build arguments from a base theory according to the relations illustrated in Subsection 2.1. The logic theory is, for all intents, the input data of our algorithm (argumentation task). Now, the question is

whether we can effectively split the data into sub-portions to be evaluated in parallel without affecting the global soundness of the original algorithm.

Naïve principle. Let us start with a naïve solution in which we randomly split the input theory between all the available nodes. Of course, this would lead to evident contradictions.

Example 4. For instance, let us consider the following theory (left) and its monolithic evaluation

$$\begin{aligned} r1 & : \quad \Rightarrow a \\ r2 & : a \Rightarrow b \\ r3 & : \quad \Rightarrow b \\ r4 & : \quad \Rightarrow \neg a \end{aligned}$$

according to grounded semantic leading to four arguments (right):

$$\begin{aligned} A0 & : \quad \Rightarrow_{r1} a \\ A1 & : A0 \Rightarrow_{r2} b \\ A2 & : \quad \Rightarrow_{r3} b \\ A3 & : \quad \Rightarrow_{r4} \neg a \end{aligned}$$

where $A0$, $A1$ and $A3$ are labelled **UND** – since $A0$ and $A3$ attack each other and $A3$ attacks $A1$ – and $A2$ is labelled **IN**. If we leverage a random split, we could have a scenario in which we partition the theory into four parts. Of course, this would lead to a missing argument. Indeed, rules $r1$ and $r2$ are both necessary to conclude $A1$.




Figure 2: Argumentation graphs and arguments from Example 4 grouped according to dependency (a) and conflict-closure principles (b).

Dependency principle. Now, let us consider a smarter splitting principle based on rules dependency—i.e., if two rules can be chained, they must stay together.

Example 5. Accordingly, if we consider the theory from example 4, we have three subsets of the theory: $r1$ and $r2$, $r3$, $r4$. The evaluation of these three theories would lead to the admissibility of all the four arguments, making the result unsatisfactory w.r.t. the original solution—see Figure 2 (a).

Conflict-closure principle. Observing the abstract argumentation graph it is easy to understand that we cannot split rules claiming conflicting knowledge—see Figure 2 (b). Accordingly, we can observe that a safe split can be guaranteed if the graph-connected sub-portions maintain their integrity—i.e., attacker and attacked arguments belong to the same set.

Example 6. *If we apply this principle to the theory in Example 4, we obtain two sub-portions of the original logic theory allowing for a simultaneous evaluation: r_1 , r_2 and r_4 (set KB_a), and r_3 (set KB_b). The application of the argument evaluation algorithm (in Subsection 2.2) to check the admissibility of b leads to two results: b (A1) is UND (set KB_a), and b (A2) is IN (set KB_b)—coherent with the semantics (Figure 2 (b)).*

Accordingly, in order to guarantee a sound evaluation w.r.t. the original algorithm (Listing 1) the *conflict-closure* principle should be considered while splitting the knowledge base.

4. The complete model

In this section, a complete and sound mechanism for the admissibility task in a fully-concurrent way is provided, exploiting the insights from Section 3 and applying them to an actor-based model [9].

In short, the actor model is based on a set of computational entities – the actors – communicating each other through messages. The interaction between actors is the key to computation. Actors are pure reactive entities that only in response to a message can:

- create new actors;
- send messages to other actors;
- change their internal state through a predefined behaviour.

Actors work in a fully-concurrent way – asynchronous communication and message passing are fundamental to this end – making the actor model suited to concurrent applications and scenarios. We choose this model for its simplicity: it presents very few abstractions making it easy to study both how to model a concurrent system and its properties. The final goal of this research is to provide a sound model for agents’ cooperative argumentation in MAS. Since it is an articulated goal, coping with different dimensions – distribution, sociality, coordination, autonomy – we carry on our investigation in two distinct steps: (1) first, we enable concurrent evaluation of the argumentation algorithms (focusing on distribution), (2) then, we make available the new computational tool in a MAS context (focusing on sociality, coordination, and autonomy). The actor paradigm is a natural choice for the first step of the analysis.

The proposed model embraces both the parallelisation approaches seen in Section 3—i.e., the parallel evaluation of attackers (task parallelisation, Subsection 3.1) and the partitioning of the initial logical theory (data parallelisation, Subsection 3.2).

Listing 5: Master Actor for knowledge base distribution

```
MasterActor:

State:
  responseList
  elem

OnMessage(sender, message):
  if message = AddTheoryMember(term)
    send(ALL, NewTheoryMember(term))
    responseList = []
    elem = term
  if message = Ack(chainingDetails)
    responseList += Ack(chainingDetails)
    evaluateResponses(responseList)
  if message = Nack()
    responseList += Nack()
    evaluateResponses(responseList)

evaluateResponses(responseList):
  if NOT ALL RESPONSE ARE PRESENT:
    return
  if NO ACK IS PRESENT:
    createNewActor(actor)
    send(actor, CreateKnowledgeBase(elem))
  if CONVERGING KB ARE PRESENT:
    selectMergeTarget(target)
    FOR x IN createMergeList(responseList):
      send(x, MergeTheory(target))
```

4.1. Actor-based evaluation: distributing the knowledge base

Let us start with the portion of the model devoted to logic theory distribution. As seen in Subsection 3.2, the adherence to the *Conflict-closure* principle is required to guarantee the soundness of the evaluation of a fragmented theory. However, this observation applies only w.r.t. algorithm in Listing 1 being the arguments' construction and the search for attackers executed on the same task. If we consider instead the concurrent version of the algorithm (Subsection 3.1), the search and evaluation of the attackers are performed in distinct sub-tasks. As a consequence, there is no task required to know how to build an argument and its attacker – the search is delegated to another process –, thus the *Conflict-closure* principle can be ignored. Indeed, a single task in charge of evaluating an argument needs only the portion of the theory required to infer the argument itself—i.e., i.e., only the *Dependency* principle must be respected.

The same idea applies to the actor-based model presented in this section: since the search for attackers is executed concurrently by a set of actors, we require only the *Dependency* principle to be respected.

Since the actor model focuses on actors and their communication the following design will review the structure and behavior of the involved actors. Although a fully distributed version of

Listing 6: Worker Actor for knowledge base distribution

```
WorkerActor:

State:
  kb

OnMessage(sender, message):
  if message = CreateKnowledgeBase(term)
    kb = term
  if message = NewTheoryMember(term)
    if isChainable(term, kb):
      send(sender, Ack(chainingDetails))
      kb += term
    else:
      send(sender, Nack())
  if message = MergeTheory(target)
    send(target, Kb(kb))
    exit
  if message = Kb(newKb)
    kb += newKb
```

the model is possible, we choose to adopt a master-slave approach to simplify the functioning of the system as much as possible.

Two main types of actors are conceived in the system: master (Listing 5) and worker (Listing 6). Master actors coordinate the knowledge base distribution phase while the workers hold a portion of the theory. Accordingly, masters' internal state contains a reference to the term to distribute (`elem`) and a list of the feedbacks from the workers' actors on `elem` distribution (`responseList`), while workers' internal state is simply represented by the portion of the theory they manage, identified by `kb`.

Messages that masters and workers can exchange are represented by the following types:

- `CreateKnowledgeBase`, the first message sent from the master to a new worker containing its initial knowledge base;
- `NewTheoryMember`, sent from the master to all the available workers, through which the master sends the new theory member to be stored in the workers' `kb`;
- `Ack`, sent from a worker to its master in response to a `NewTheoryMember` message, confirms the storing of the new rule in the worker's `kb`;
- `Nack`, sent from a worker to its master in response to a `NewTheoryMember` message, denies the storing of the new rule in the worker's `kb`;
- `MergeTheory`, sent from the master to a set of workers in the case of overlapping theories, orders the workers to conclude their execution after sending their knowledge bases to a targeted worker;

- Kb, sent from a worker A to another worker B, contains the knowledge base that B should add to its own.

If the master receives the order to add a new element to the theory (AddTheoryMember message), three possible scenarios can be configured:

1. none of the workers contains a compatible knowledge base – i.e., it is not possible to chain the new rule to the knowledge base (isChainable returns false) – and consequently, the master creates a new worker containing the portion of the theory (createNewActor);
2. one or more workers have a compatible knowledge base (isChainable returns true), and they add the element to their kb;
3. a set of workers possess overlapping knowledge bases – i.e. the union set of workers' knowledge bases can be used to create a unique inference chain –, and as a consequence, we merge their knowledge bases and destroy the extra workers (MergeTheory message);

Since actors are reactive entities, in order to completely adhere to the actor model the master knowledge base can be changed from outside the actor system—we instruct the master actors to modify the theory through the message AddTheoryMember.

Example 7. *Let us consider again the theory in Example 1. Let us assume a single MasterActor and the following order in the inclusion of the rules in the system: r_1, r_3, r_4, r_2 .² As for the first three rules, the behaviour is the same: the MasterActor issue a NewTheoryMember and receives back only Nack messages—since the rules are not chainable. Accordingly, it creates three distinct workers and sends a single rule to every one of them via the CreateKnowledgeBase message. We now have Worker 1, Worker 2, and Worker 3 with respectively r_1, r_3 and r_4 in their knowledge bases. Then the master issues a NewTheoryMember for r_2 , and both workers 1 and 3 answer with an Ack. Rule r_2 is, in fact, the missing link in the inference chain of r_1 and r_4 . As a consequence, the Master orders a migration to one of them – let us assume Worker 3 – with the MergeTheory message. Worker 3 receives the message, sends its kb to Worker 1 via the Kb message, then stops. At the end of the distribution phase, we have two workers, one containing r_1, r_2, r_4 , the other just r_3 . The dependency principle is thus respected.*

4.2. Actor-based evaluation: evaluating an argument

Let us proceed with the actor-based evaluation of an argument. For this task, we only need one type of actor—WorkerActor in Listing 7. In the final model, we consider workers from Listing 6 and Listing 7 as the same entity. We can evaluate an argument through workers only after they split the logic theory among them according to the mechanism in Subsection 4.1.

Each actor is responsible for evaluating those arguments that can be build using its portion of the theory. When the actor receives an evaluation request, it first checks if attackers exist, w.r.t. its portion of the knowledge base. Then the actor can: (i) register the impossibility to evaluate the argument – only if a cycle through the evaluation chain is detected –, (ii) require the attacker arguments evaluation to all the other actors. In the latter case, the actor shall

²The inclusion order only affects the steps required to converge, not the final state of the system.

Listing 7: Worker Actor for argument evaluation task

```
WorkerActor:

State:
  targets

OnMessage(sender, message):

  if message = Evaluate(claim):
    if buildArgument(claim, arg):
      send(ALL, Attacker(arg, []))

  if message = Attacker(arg, chain):
    if NOT buildAttacker(arg):
      send(sender, In(arg))
    else:
      for attacker IN buildAttacker(arg):
        if attacker IN chain:
          targets += (arg, attacker, sender, [], Und(arg))
        else:
          send(ALL, Attacker(attacker, chain + [arg]))
          targets += (arg, attacker, sender, [], None)
      evaluateResponses()

  if message = Und(arg) OR Out(arg) OR In(arg):
    evaluateResponses(arg)

evaluateResponses(arg):
  for arg, attacker IN targets:
    if ANY OUT:
      targets[attacker] = Out(arg)
    if ANY Und AND NOT ANY OUT:
      targets[attacker] = Und(arg)
    if ALL In:
      targets[attacker] = In(arg)
  if attackersEvaluated(arg):
    sendResponse(sender)
```

answer the original evaluation request only after receiving a response from others actors. The conditions to match while evaluating an argument are the same as the original algorithm in Listing 1:

- if one counterargument is found admissible, we evaluate the argument as OUT;
- if any number of actors decide for the argument undecidability with none advancing its rejection, we mark the argument as UND;
- if all the actors agree that no counterarguments can be provided as acceptable, we evaluate the argument as IN;

Actors provide their suggestions on the state of the requested argument according to all the labels of their counterarguments.

The messages exchanged among worker actors are:

- `Evaluate`, sent to workers (from outside) to require the evaluation of a claim;
- `Attacker`, sent from a worker to all other workers, requires the evaluation of an argument;
- `Und`, `Out`, `In` – sent from a worker to another worker in response to the `Attacker` message – answering the evaluation request.

Note that the `Evaluate` message comes from outside the actor system and starts the evaluation process. In Listing 7, we omit the details on the collection of the `Evaluate` responses and the return of the final result for the sake of conciseness.

Example 8. *Let us continue the example from 1 and 7 and require the evaluation of claim b . From outside the actor system, we send an `Evaluate` message to all the actors. Worker 1 succeeds in building an argument ($A1$) and sends to all the other workers – also Worker 1 is included in the list – an `Attacker` message requiring attackers evaluation. Worker 1 answers with an `In` message – there are no attacking arguments according to its knowledge –, while Worker 2 sends back an `Und` response. Indeed, worker 2 is able to create a valid counterargument ($A2$), but a cycle is detected in the inference chain. According to the evaluation algorithm, receiving an `Und` and an `In` as a response, Worker 1 can finally label $A1$ as `UND`.*

5. Related & Conclusions

The work presents a first approach to the problem of cooperative argumentation in the context of a MAS. Starting from the single query evaluation mode of `Arg2P` – aimed at evaluating the admissibility of a single statement without the need to build the entire argumentation graph – we introduce the corresponding distributed computational model. We first discuss how the argument evaluation algorithm of `Arg2P` can be parallelised, then we deliver a complete model for decentralised reasoning based on the actor model.

Our work follows the insights from the ones in [10] and [11, 12]. The former has been the first proposal of a tool – also based on the `tuProlog` system – exploiting a dialogical argumentation mechanism—i.e., argumentation is performed across multiple processes proposing arguments and counterarguments. However, the argumentation algorithm distribution has not been addressed. Conversely, in [11, 12] the authors directly address the problem of enabling argumentation techniques in MAS. Nonetheless, their technique exploits a centralised evaluation of all the knowledge spread across MAS agents, thus exposing serious problems to the scalability of their approach.

Our work can be extended in various directions. First, we shall provide an implementation of the distributed model in the `Arg2P` framework. In fact, in this work, we discuss the parallelisation problem from a theoretical perspective. Only once implemented the approach, it will be possible

to compare the performances of the monolithic and distributed versions of the algorithm properly addressing a discussion on efficiency and scalability issues.

Then, a well-founded analysis of the model is still missing, discussing formal properties such as soundness and completeness. Moreover, experiments need to be run in a MAS environment. There, the open issues are many, e.g., how could agents benefit from this mechanism? How does coordination media impact the model?

Finally, it is worth highlighting that in this work we distribute the knowledge base across actors in order to maximise the scalability of the system. The consequences of using the model in a context where the nodes possess an arbitrary knowledge – as agents in MAS – are still to be inspected.

Acknowledgments

G. Pisano and R. Calegari have been supported by the H2020 ERC Project “CompuLaw” (G.A. 833647). A. Omicini has been supported by CHIST-ERA project “Expectation” (G.A. CHIST-ERA-19-XAI-005).

References

- [1] H. Jung, M. Tambe, S. Kulkarni, Argumentation as distributed constraint satisfaction: Applications and results, in: 5th International Conference on Autonomous Agents (Agents '01), 2001, pp. 324–331. doi:10.1145/375735.376322.
- [2] Á. Carrera, C. A. Iglesias, A systematic review of argumentation techniques for multi-agent systems research, *Artificial Intelligence Review* 44 (2015) 509–535.
- [3] G. Pisano, R. Calegari, A. Omicini, G. Sartor, Arg-tuProlog: A tuProlog-based argumentation framework, in: F. Calimeri, S. Perri, E. Zumpano (Eds.), CILC 2020 – Italian Conference on Computational Logic. Proceedings of the 35th Italian Conference on Computational Logic, volume 2710 of *CEUR Workshop Proceedings*, Sun SITE Central Europe, RWTH Aachen University, CEUR-WS, Aachen, Germany, 2020, pp. 51–66. URL: <http://ceur-ws.org/Vol-2710/paper4.pdf>.
- [4] R. Calegari, G. Contissa, G. Pisano, G. Sartor, G. Sartor, Arg-tuProlog: a modular logic argumentation tool for PIL, in: S. Villata, J. Harašta, P. Křemen (Eds.), Legal Knowledge and Information Systems. JURIX 2020: The Thirty-third Annual Conference, volume 334 of *Frontiers in Artificial Intelligence and Applications*, 2020, pp. 265–268. doi:10.3233/FAIA200880.
- [5] S. Modgil, H. Prakken, The ASPIC⁺ framework for structured argumentation: a tutorial, *Argument Computation* 5 (2014) 31–62. doi:10.1080/19462166.2013.869766.
- [6] P. M. Dung, On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games, *Artificial Intelligence* 77 (1995) 321–358. doi:10.1016/0004-3702(94)00041-X.
- [7] P. Baroni, M. Caminada, M. Giacomin, An introduction to argumentation semantics, *The Knowledge Engineering Review* 26 (2011) 365–410. doi:10.1017/S0269888911000166.

- [8] A. J. García, G. R. Simari, Defeasible logic programming: An argumentative approach, *Theory and Practice of Logic Programming* 4 (2004) 95–138. doi:10.1017/S1471068403001674.
- [9] C. Hewitt, P. B. Bishop, R. Steiger, A universal modular ACTOR formalism for artificial intelligence, in: *3rd International Joint Conference on Artificial Intelligence*, William Kaufmann, 1973, pp. 235–245. URL: <http://ijcai.org/Proceedings/73/Papers/027B.pdf>.
- [10] D. Bryant, P. J. Krause, G. Vreeswijk, Argue tuProlog: A lightweight argumentation engine for agent applications, in: *Computational Models of Argument*, volume 144 of *Frontiers in Artificial Intelligence and Applications*, IOS Press, 2006, pp. 27–32. URL: <http://www.booksonline.iospress.nl/Content/View.aspx?piid=1922>.
- [11] E. Oliva, P. McBurney, A. Omicini, Co-argumentation artifact for agent societies, in: S. Parsons, I. Rahwan, C. Reed (Eds.), *Argumentation in Multi-Agent Systems*, volume 4946 of *Lecture Notes in Computer Science*, Springer, 2008, pp. 31–46. doi:10.1007/978-3-540-78915-4_3, 4th International Workshop (ArgMAS 2007), Honolulu, HI, USA, 15 May 2007. Revised Selected and Invited Papers.
- [12] E. Oliva, M. Viroli, A. Omicini, P. McBurney, Argumentation and artifact for dialogue support, in: I. Rahwan, P. Moraitis (Eds.), 5th International Workshop “Argumentation in Multi-Agent Systems” (ArgMAS 2008), AAMAS 2008, Estoril, Portugal, 2008, pp. 24–39. doi:10.1007/978-3-642-00207-6_7.