

# On computational problems for infinite argumentation frameworks: Hardness of finding acceptable extensions\*

Uri Andrews<sup>1,†</sup>, Luca San Mauro<sup>2,\*,†</sup>

<sup>1</sup>*Department of Mathematics, University of Wisconsin, USA*

<sup>2</sup>*Department of Philosophy, University of Bari, Italy*

## Abstract

This paper investigates infinite argumentation frameworks. We introduce computability theoretic machinery as a robust method of evaluating, in the infinite setting, the complexity of the main computational issues arising from admissible, complete, and stable semantics: in particular, for each of these semantics, we measure the complexity of credulous and skeptical acceptance of arguments, and that of determining existence and uniqueness of extensions. We also propose a way of using Turing degrees to classify, for a given infinite argumentation framework, the exact difficulty of computing an extension in a given semantics and show that these problems give rise to a rich class of complexities. Finally, we build a single argumentation framework witnessing our hardness results: this means that solving these problems is not only hard for the class of all argumentation frameworks, but also is not easier for a single given argumentation framework.

## Keywords

infinite argumentation frameworks, computability theory, analytic and co-analytic sets, admissible extensions, stable extensions, complete extensions, Turing degrees

## 1. Introduction

Abstract argumentation theory is a fundamental research area in AI, providing a powerful paradigm for reasoning about knowledge representation and multi-agent systems. Historically, the focus has predominantly been on finite argumentation frameworks (AFs), leaving the infinite case relatively unexplored. As noted in [2], this oversight poses significant theoretical, conceptual, and practical limitations.

Firstly, infinite frameworks align naturally with Dung’s seminal approach [3], whose results do not presuppose finiteness. Secondly, representing argumentation scenarios in an infinite manner captures the inherently nonmonotonic nature of argumentation, where arguments can always be challenged by the emergence of new information, making any fixed limit on the space of arguments somewhat artificial. Moreover, if one conceives an argumentative scenario with arguments being added as time proceeds, e.g., the collection of scientific studies, then infinite frameworks naturally emerge as the union of the argumentation frameworks that we see at each finite time. Thirdly, infinite AFs may arise in practical contexts, such as logic programming [4] and the logical analysis of multi-agent or distributed systems [5] (the substantial introduction of [2] provides other concrete examples of applications of infinite AFs, e.g., to multiagent negotiations).

Fortunately, recent years have seen a growing interest in infinite AFs, with special focus on how the existence and interplay of various semantics—well-understood for finite AFs—are affected in the infinite realm (see, e.g., [6, 7, 8, 9, 10]). This increasing recognition underscores the importance of infinite AFs for a broad understanding of argumentation theory.

However, the literature still lacks a comprehensive framework for systematically exploring all logical aspects of infinite AFs, particularly regarding their core computational issues. A significant research

---

*8th Workshop on Advances In Argumentation In Artificial Intelligence (AF<sup>3</sup> 2024), Bolzano, Italy*

\* An expanded version of this article was submitted to FCR-2024 [1].

\* Corresponding author.

† These authors contributed equally.

✉ [andrews@math.wisc.edu](mailto:andrews@math.wisc.edu) (U. Andrews); [luca.sanmauro@gmail.com](mailto:luca.sanmauro@gmail.com) (L. San Mauro)

🌐 <https://math.wisc.edu/~andrews> (U. Andrews); <https://www.lucasanmauro.com/> (L. San Mauro)



© 2024 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

avenue in finite AFs has been determining the algorithmic complexity of tasks associated with finding coherent collections of arguments (up to suitable collection of semantics), with numerous complexity theoretic results highlighting their inherent computational intractability (see, e.g., [11, 12, 13]). To our knowledge, no analogous study has been conducted for infinite AFs.

This paper addresses this gap by initiating a systematic study of the complexity of computational problems in infinite AFs. For this endeavor, we bring into the subject of argumentation theory the machinery of computability theory, which may be regarded as an infinitary companion of computational complexity theory and abounds with concepts and hierarchies for measuring the complexity of computing and defining countably infinite objects, providing the appropriate machinery for this endeavor.

The application of computability theoretic tools outside of mathematical logic is a well-established idea. Over the past decades, computability theory has been applied to a wide array of mathematical disciplines, and computability theoretic concepts have found applications in other formal subjects, such as theoretical computer science, economics, and linguistics (see, e.g., [14, 15]).

The present paper, we argue, provides compelling evidence of the benefits of viewing infinite AFs through computability theoretic lenses. We assess the complexity of many computational problems—both established and novel—within our framework, illustrating their undecidability while providing precise measures of their complexity.

## Organization of the paper

Section 2 briefly reviews the main semantic concepts from argumentation theory that are relevant to this paper, along with the fundamental computational problems associated with them. In Section 3, we introduce the key notions of computability theory employed in the work and we define the concept of computable AFs and the computational issues that emerges from it. In Section 4, we determine the lower bounds of the complexity for our computational problems: a critical technique for achieving hardness results involves suitably encoding trees into AFs. Finally, in Section 5, we show that our techniques introduced enable the construction of a *single* argumentation framework witnessing our hardness results. Our main results are collected in Tables 2 and 3.

## 2. Argumentation theoretic background

To keep our paper self-contained, we now briefly review some key concepts of Dung-style argumentation theory, focusing on the semantics notions considered in this paper and the fundamental computational problems associated with them (the surveys [16, 17] offer an overview of these topics).

An *argumentation framework* (AF)  $\mathcal{F}$  is a pair  $(A_{\mathcal{F}}, R_{\mathcal{F}})$  consisting of a set  $A_{\mathcal{F}}$  of arguments and an attack relation  $R_{\mathcal{F}} \subseteq A_{\mathcal{F}} \times A_{\mathcal{F}}$ . If some argument  $a$  attacks some argument  $b$ , we may write  $a \rhd b$  instead of  $(a, b) \in R_{\mathcal{F}}$ . Collections of arguments  $S \subseteq A_{\mathcal{F}}$  are called *extensions*. For an extension  $S$ , the symbols  $S^+$  and  $S^-$  denote, respectively, the arguments that  $S$  attacks and the arguments that attack  $S$ :

$$\begin{aligned} S^+ &= \{x : (\exists y \in S)(y \rhd x)\}; \\ S^- &= \{x : (\exists y \in S)(x \rhd y)\}. \end{aligned}$$

$S$  *defends* an argument  $a$ , if any argument that attacks  $a$  is attacked by some argument in  $S$  (i.e.,  $\{a\}^- \subseteq S^+$ ). The *characteristic function* of  $\mathcal{F}$  is the following mapping  $f_{\mathcal{F}}$  which sends subsets of  $A_{\mathcal{F}}$  to subsets of  $A_{\mathcal{F}}$ :

$$f_{\mathcal{F}}(S) := \{x : x \text{ is defended by } S\}.$$

All AFs investigated in this paper are infinite.

A *semantics*  $\sigma$  assigns to every AF  $\mathcal{F}$  a set of extensions  $\sigma(\mathcal{F})$  which are deemed as acceptable. A huge number of semantics, fueled by different motivations, have been proposed and analyzed. Here,

we focus on three prominent choices, whose computational aspects are well-understood in the finite setting: admissible, complete, and stable semantics (abbreviated by *ad*, *stb*, *co*, respectively).

Let  $\mathcal{F} = (A_{\mathcal{F}}, R_{\mathcal{F}})$  be an AF. Denote by  $cf(\mathcal{F})$  the collection of extensions of  $\mathcal{F}$  which are *conflict-free* (i.e.,  $S \in cf(\mathcal{F})$  iff  $a \not\rightarrow b$ , for all  $a, b \in S$ ). Then, for  $S \in cf(\mathcal{F})$ ,

- $S \in ad(\mathcal{F})$  iff  $S$  is self-defending (i.e.,  $S \subseteq f_{\mathcal{F}}(S)$ );
- $S \in co(\mathcal{F})$  iff  $S$  is a fixed point of  $f_{\mathcal{F}}$  (i.e.,  $S = f_{\mathcal{F}}(S)$ );
- $S \in stb(\mathcal{F})$ , iff  $S$  attacks all arguments outside of it (i.e.,  $S^+ = A_{\mathcal{F}} \setminus S$ ).

In discussing the complete extensions, we will also briefly mention the grounded extension, which is the unique smallest fixed point of  $f_{\mathcal{F}}$ ; in any AF, the grounded extension always exists [3, Theorem 3].

For a given semantics  $\sigma$ , the following are some well-known computational problems related to  $\sigma$ :

- $Cred_{\sigma}$  (for *credulous* acceptance) is the decision problem whose accepting instances are the pairs  $(\mathcal{F}, a)$  so that  $a \in S$  for some  $S \in \sigma(\mathcal{F})$ ;
- $Skept_{\sigma}$  (for *skeptical* acceptance) is the decision problem whose accepting instances are the pairs  $(\mathcal{F}, a)$  so that  $a \in S$  for all  $S \in \sigma(\mathcal{F})$ ;
- $Exist_{\sigma}$  is the decision problem whose accepting instances are the AFs  $\mathcal{F}$  so that  $\sigma(\mathcal{F}) \neq \emptyset$ ;
- $NE_{\sigma}$  is the decision problem whose instances are the AFs  $\mathcal{F}$  so that  $\sigma(\mathcal{F}) \setminus \{\emptyset\} \neq \emptyset$ ;
- $Uni_{\sigma}$  is the decision problem whose accepting instances are the AFs  $\mathcal{F}$  so that  $|\sigma(\mathcal{F})| = 1$ .

In formal argumentation theory, evaluating the computational complexity of the aforementioned problems for various semantics has been a noteworthy research thread for more than 20 years[17]. Table 1 collects known complexity results for the admissible, stable, and complete semantics. This analysis refers only to finite AFs. In the next section, we introduce our computability theoretic perspective that allows us to tackle complexity issues concerning infinite AFs.

| $\sigma$   | $Cred_{\sigma}$ | $Skept_{\sigma}$ | $Exist_{\sigma}$ | $NE_{\sigma}$ | $Uni_{\sigma}$ |
|------------|-----------------|------------------|------------------|---------------|----------------|
| <i>ad</i>  | <b>NP-c</b>     | trivial          | trivial          | <b>NP-c</b>   | <b>coNP-c</b>  |
| <i>stb</i> | <b>NP-c</b>     | <b>coNP-c</b>    | <b>NP-c</b>      | <b>NP-c</b>   | <b>DP-c</b>    |
| <i>co</i>  | <b>NP-c</b>     | <b>P-c</b>       | trivial          | <b>NP-c</b>   | <b>coNP-c</b>  |

**Table 1**

Computational problems for finite AFs.  $\mathcal{C}$ -c denotes completeness for the class  $\mathcal{C}$ .

### 3. Computational problems for AFs through the lens of computability theory

In this section, we introduce computable AFs and we revisit the computational problems of the last section through the lens of computability theory. We aim at conveying the main ideas without delving into too many technical details. A more formal and comprehensive exposition of the fundamentals of computability theory can be found, e.g., in the textbooks [18]. We begin by establishing standard notation and terminology for some combinatorial notions that appear frequently in our proofs.

#### 3.1. Sequences, strings, and trees

As is common in computability theory, we denote the set of natural numbers by  $\omega$ . Since there is no risk of ambiguity, we simply refer to the elements of  $\omega$  as numbers. The symbol  $\omega^{\omega}$  denotes the set of all functions from  $\omega$  to  $\omega$ . For our purposes, it is convenient to represent elements of  $\omega^{\omega}$  as infinite sequences of numbers (where the  $i + 1$ th bit of  $\pi \in \omega^{\omega}$  will be the output of the function  $\pi$  on input  $i$ ). We denote by  $0^{\infty}$  the infinite sequence consisting of only 0's (or, equivalently, the constant function to 0). The restriction of an infinite sequence  $\pi \in \omega^{\omega}$  to its first  $n$  bits is denoted by  $\pi \upharpoonright_n$ .

We use standard notation and terminology about *strings*: The set of all finite strings of numbers is denoted by  $\omega^{<\omega}$ . The symbol  $\lambda$  denotes the empty string. The concatenation of strings  $\sigma, \tau$  is denoted by  $\sigma \hat{\ } \tau$ . The length of a string  $\sigma$  is denoted by  $|\sigma|$ . If there is  $\rho$  so that  $\sigma \hat{\ } \rho = \tau$ , we say that  $\sigma$  is a *prefix* of  $\tau$  and we write  $\sigma \preceq \tau$ . Similarly, if  $\pi \in \omega^\omega$  and  $\sigma = \pi \upharpoonright_n$  for some  $n$ , we write  $\sigma \prec \pi$ .

In order to formulate our problems as subsets of  $\omega$ , it will be convenient to encode pairs of numbers into single numbers. The pairing function does this. Fix  $p : \omega \times \omega \rightarrow \omega$  to be a computable bijection. We adopt the common habit of denoting  $p(x, y)$  by  $\langle x, y \rangle$ .

The encodings discussed in Section 4 heavily rely on the difficulty of calculating paths through trees. As is common in computability theory, we say that a *tree* is a set  $\mathcal{T} \subseteq \omega^{<\omega}$  closed under prefixes. We picture trees growing upwards, with  $\sigma \hat{\ } i$  to the left of  $\sigma \hat{\ } j$ , whenever  $i < j$ . A *path*  $\pi \in \omega^\omega$  through a tree  $\mathcal{T} \subseteq \omega^{<\omega}$  is an infinite sequence so that  $\pi \upharpoonright_n \in \mathcal{T}$ , for all numbers  $n$ . The set of paths through a tree  $\mathcal{T}$  is denoted by  $[\mathcal{T}]$ .  $\mathcal{T}$  is *well-founded* if  $[\mathcal{T}] = \emptyset$  and otherwise is *ill-founded*. Note that we follow the standard terminology in computability theory requiring that paths be infinite. Indeed, if one were to allow paths to be finite, then these notions trivialize, since one could computably find a path through any given computable tree. For example, the set of strings

$$\mathcal{T} := \{\lambda\} \cup \{\sigma, \sigma \hat{\ } 1 : (\forall n < |\sigma|)(\sigma(n) = 0)\}$$

is an ill-founded tree with  $[\mathcal{T}] = \{0^\infty\}$ . If  $\mathcal{T}$  contains strings of arbitrary length, then  $\mathcal{T}$  has *infinite height*. Note that there are trees of infinite height which are well-founded, e.g.,  $\mathcal{T} = \{\lambda\} \cup \{n \hat{\ } \sigma : |\sigma| \leq n\}$ .

### 3.2. Computable argumentation frameworks

A basic problem that one encounters when attempting to calibrate the algorithmic complexity of infinite AFs is that of describing infinite objects in a finitary way. Computability theory offers a wide range of tools designed for this endeavour. Here, we will concentrate on AFs that are *computably presentable*, in the sense that there are Turing machines (or, equivalently, modern computer programs) that, in finitely many steps, decide whether a given pair of arguments belongs to the attack relation.

**Notation.** Let  $(\Phi_e)_{e \in \omega}$  be a uniform enumeration of all partial computable functions from  $\omega$  to  $\{0, 1\}$ .

**Definition 3.1.** A number  $e$  is a computable index for an AF  $\mathcal{F} = (A_{\mathcal{F}}, R_{\mathcal{F}})$  with  $A_{\mathcal{F}} = \{a_n : n \in \omega\}$  so that

$$\Phi_e(\langle n, m \rangle) = \begin{cases} 1 & \text{if } a_n \rightsquigarrow a_m \\ 0 & \text{otherwise.} \end{cases}$$

An AF  $\mathcal{F}$  is computable, if it has a computable index  $e \in \omega$ .

We use the notation  $\mathcal{F}_e$  to refer to the AF with computable index  $e$  (note that every computable AF possesses infinitely many computable indices.).

**Remark 3.2.** The collection of computable indices for AFs just defined is noncomputable (in particular, any index  $e$  for a non-total computable function  $\Phi_e$  cannot be a computable index for an argumentation framework). There are alternative indexings that circumvent this issue; yet, adopting another indexing would not alter the complexity of the computational problems we analyze, though it would make the proofs slightly more cumbersome. Hence, we opt for the simplicity of Definition 3.1.

The benefit of dealing with computable AFs is that the complexity of the decision problems associated with them do not arise due to complexity of the argumentation framework itself, but rather reflects the inherent complexity of the decision problem. Further, the computational problems associated with computable AFs can be naturally represented as subsets of  $\omega$ , which are suitable to be classified by computability theoretic means:

**Definition 3.3.** For a semantics  $\sigma$ :

1.  $Cred_\sigma^\infty := \{\langle e, n \rangle : (\exists S \in \sigma(\mathcal{F}_e))(a_n \in S)\};$
2.  $Skept_\sigma^\infty := \{\langle e, n \rangle : (\forall S \in \sigma(\mathcal{F}_e))(a_n \in S)\};$
3.  $Exist_\sigma^\infty := \{e : (\exists S \subseteq A_{\mathcal{F}_e})(S \in \sigma(\mathcal{F}_e))\};$
4.  $NE_\sigma^\infty := \{e : (\exists S \in \sigma(\mathcal{F}_e))(S \neq \emptyset)\};$
5.  $Uni_\sigma^\infty := \{e : (\exists! S \subseteq A_{\mathcal{F}_e})(S \in \sigma(\mathcal{F}_e))\}.$

For items 1. and 2. above, it's also natural to consider their restrictions to a specific computable AF  $\mathcal{F}_e$ . That is, we define

$$\begin{aligned} Cred_\sigma^\infty(\mathcal{F}_e) &= \{n : \langle e, a_n \rangle \in Cred_\sigma^\infty\} \\ Skept_\sigma^\infty(\mathcal{F}_e) &= \{n : \langle e, a_n \rangle \in Skept_\sigma^\infty\}. \end{aligned}$$

We note that in the finite setting,  $Cred_\sigma(\mathcal{F})$  or  $Skept_\sigma(\mathcal{F})$  for a finite AF  $\mathcal{F}$ , is simply a finite subset of  $A_{\mathcal{F}}$ , so it does not encode much complexity in itself. In contrast, in the infinite setting,  $Cred_\sigma^\infty(\mathcal{F}_e)$  and  $Skept_\sigma^\infty(\mathcal{F}_e)$  are infinite subsets of  $\omega$ , and it makes sense to ask about whether this set is decidable; and if not, to understand its complexity. In these definitions, we use the number  $n$  in place of  $a_n$  so that these sets are subsets of  $\omega$ , thus amenable to computability-theoretic analyses, yet when working with a given AF  $\mathcal{F}$ , we often write the argument  $a_n$  in place of the number  $n$ .

We also introduce new semantics which make sense only in the infinite setting. This is motivated by the idea that, given an infinite AF, we might hope for our accepted sets to give us infinitely much information.

1.  $S \in infad(\mathcal{F})$  if and only if  $S \in ad(\mathcal{F})$  and  $S$  is infinite;
2.  $S \in infco(\mathcal{F})$  if and only if  $S \in co(\mathcal{F})$  and  $S$  is infinite;
3.  $S \in infstb(\mathcal{F})$  if and only if  $S \in stb(\mathcal{F})$  and  $S$  is infinite.

The complexity classes that most naturally match the problems of Definition 3.3 are those of the  $\Sigma_1^1$  and  $\Pi_1^1$  sets. The  $\Sigma_1^1$  sets are formally defined as those subsets of  $\omega$  that are definable in the language of second-order arithmetic using a single second-order existential quantifier ranging over subsets of  $\omega$  followed by number quantifiers and the first order functions and relations  $(+, \cdot, <, 0, 1, \in)$ ; for more details, see [18, §16].  $\Pi_1^1$  sets are the complements of  $\Sigma_1^1$  sets.

**Proposition 3.4.**  $Cred_\sigma^\infty$ ,  $Exist_\sigma^\infty$ , and  $NE_\sigma^\infty$  are  $\Sigma_1^1$ , for  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$ .

*Proof.* We first consider  $\sigma \in \{ad, stb, co\}$ . To define  $Cred_\sigma^\infty$ , we see from Definition 3.3:  $Cred_\sigma^\infty := \{\langle e, n \rangle \in \omega : (\exists S \in \sigma(\mathcal{F}_e))(a_n \in S)\}$  uses a single existential quantifier over sets  $S$ . This is similarly true for the definitions of  $Exist_\sigma^\infty$  and  $NE_\sigma^\infty$  in Definition 3.3. Thus, it suffices to see that the condition  $S \in \sigma(\mathcal{F}_e)$  can be defined with only quantification over arguments, which are in bijection with  $\omega$ , not needing quantification over sets of arguments.

Note that the definition of  $S^+$  and  $S^-$  use only quantifiers over arguments. Thus the definition of  $f_{\mathcal{F}}(S)$  given by  $a \in f_{\mathcal{F}}(S)$  if and only if  $\{a\}^- \subseteq S^+$  uses only quantifiers over arguments. Finally,  $S \in ad(\mathcal{F})$ ,  $S \in stb(\mathcal{F})$ ,  $S \in co(\mathcal{F})$  are all defined from  $f_{\mathcal{F}}(S)$  and  $S^+$  using only quantifiers over arguments.

In the case of  $\sigma \in \{infad, infstb, infco\}$ , we need to also observe that  $S$  being infinite is defined via  $\forall n \exists m (a_m \in S \wedge m > n)$ , which uses only quantifiers over numbers.  $\square$

**Proposition 3.5.**  $Skept_\sigma^\infty$  is  $\Pi_1^1$ , whenever  $\sigma$  is in  $\{ad, stb, co, infad, infstb, infco\}$ . Furthermore, for  $\sigma \in \{ad, co\}$ ,  $Uni_\sigma^\infty$  is  $\Pi_1^1$ .

*Proof.* The definition of  $\text{Skept}_\sigma^\infty$  in Definition 3.3 uses a single universal set-quantifier followed by only number quantifiers in the definition of  $\sigma(\mathcal{F}_e)$ .

For  $\sigma \in \{ad, co\}$ ,  $e \in \text{Uni}_\sigma^\infty$  if and only if there are not two different  $\sigma$  extensions (as there is always at least one  $\sigma$  extension). This is defined by the negation of the following formula:

$$(\exists S_1 \exists S_2)(\exists x \in S_1 \setminus S_2 \wedge S_1 \in \sigma(\mathcal{F}_e) \wedge S_2 \in \sigma(\mathcal{F}_e)).$$

Note that  $\exists S_1 \exists S_2$  can be replaced by a single existential quantifier by encoding the pair  $(S_1, S_2)$  as a single set  $\{\langle 1, x \rangle : x \in S_1\} \cup \{\langle 2, y \rangle : y \in S_2\}$ . This shows that  $\text{Uni}_\sigma^\infty$  is the complement of a  $\Sigma_1^1$  set, thus is  $\Pi_1^1$ .  $\square$

**Remark 3.6.** The above argument does not suffice to show that  $\text{Uni}_{stb}^\infty$  is also  $\Pi_1^1$ , since some AFs have no stable extension. The most obvious definition says there exists one stable extension and there does not exist two, which gives a definition which is a conjunction of a  $\Sigma_1^1$  and a  $\Pi_1^1$  condition, i.e., a so-called  $d\text{-}\Sigma_1^1$  definition. This is analogous to the fact that in the finite case  $\text{Uni}_{stb}$  is **DP**-complete. Similarly, the argument above does not show that  $\text{Uni}_\sigma^\infty$  is  $\Pi_1^1$  for  $\sigma \in \{infad, infstb, infco\}$ . Yet, it is true that  $\text{Uni}_\sigma^\infty$  is  $\Pi_1^1$  for  $\sigma \in \{stb, infad, infstb, infco\}$ , as we show in [1, Section 6].

We note that knowing that a problem is  $\Sigma_1^1$  does not necessarily mean the problem is complicated. This only gives an upper-bound for its complexity. Sometimes, a simpler definition is achievable. As an example, we consider  $\text{Cred}_{cf} := \{\langle e, n \rangle : (\exists S \in cf(\mathcal{F}_e))(a_n \in S)\}$ . Though the given definition is  $\Sigma_1^1$ , to know if an argument  $a_n$  belongs to a conflict-free extension of  $\mathcal{F}_e$ , it suffices to check whether  $a_n$  is non-self-defeating, i.e.,  $a_n \not\rightarrow a_n$ , which is equivalent to checking the computable fact that  $\Phi_e(\langle n, n \rangle) = 0$ . In contrast, we will show that for the computational problems associated to the admissible, stable, and complete semantics, the use of the quantifier ranging over all sets cannot be avoided.

We will heavily rely on the following fundamental theorem by Kleene which offers a natural way of representing  $\Sigma_1^1$  sets:

**Theorem 3.7** (Kleene [19]). *A set  $X \subseteq \omega$  is  $\Sigma_1^1$  if and only if there is a computable sequence of computable trees  $(\mathcal{T}_n^X)_{n \in \omega}$  so that  $n \in X$  iff  $\mathcal{T}_n^X$  is ill-founded.*

We call  $(\mathcal{T}_n^X)_{n \in \omega}$  a *tree-sequence* for  $X$ . As a corollary of Kleene’s theorem, one obtains that the problem of deciding which computable trees in  $\omega^{<\omega}$  are ill-founded (or well-founded) is as hard as any other  $\Sigma_1^1$  (resp.,  $\Pi_1^1$ ) problem.

Theorem 3.7 gives a reason to consider the  $\Sigma_1^1$  sets as the natural infinite analogs of the **NP** problems. Namely, given an ill-founded computable tree  $\mathcal{T}$  and a sequence  $\pi$  which is a path through  $\mathcal{T}$ , it is relatively simple to check that  $\pi \in [\mathcal{T}]$  (it requires checking infinitely many simple facts:  $\pi \upharpoonright_n \in \mathcal{T}$ , for each  $n$ ), but finding a sequence  $\pi \in [\mathcal{T}]$ —or even knowing whether there exists a sequence  $\pi \in [\mathcal{T}]$ —is a far harder problem.

Our main goal is to exactly characterize the complexity of the computational problems described in Definition 3.3. To do so, we need to show that they are complete for their respective complexity classes. The following definition formalizes this notion.

**Definition 3.8.** *Let  $\Gamma$  be a complexity class (e.g.,  $\Gamma \in \{\Sigma_1^1, \Pi_1^1\}$ ). A set  $V \subseteq \omega$  is  $\Gamma$ -hard, if for every  $X \in \Gamma$  there is a computable function  $f : \omega \rightarrow \omega$  so that  $x \in X$  if and only if  $f(x) \in V$ . If  $V$  is  $\Gamma$ -hard and belongs to  $\Gamma$ , then it is  $\Gamma$ -complete.*

**Proposition 3.9.** *It follows from Theorem 3.7 that the set of indices for ill-founded computable trees is a  $\Sigma_1^1$ -complete set. Similarly, the set of indices for well-founded computable trees is a  $\Pi_1^1$ -complete set.*

The following example is far less obvious, but will be useful below to examine  $\text{Uni}_\sigma^\infty$ .

**Theorem 3.10** ([20, Theorem 18.11]). *The set  $UB$  of indices for computable trees with exactly one path is a  $\Pi_1^1$ -complete set.*

**Remark 3.11.** The hardness in Theorem 3.10 is quite easy. We can reduce the question of whether a tree  $\mathcal{T}$  is well-founded to whether a tree  $\mathcal{T}'$  has two paths, where  $\mathcal{T}'$  always has at least one path, by simply giving  $\mathcal{T}'$  one more path than  $\mathcal{T}$  (e.g.  $\mathcal{T}' = \{1 \frown \sigma : \sigma \in \mathcal{T}\} \cup \{\sigma : (\forall n < |\sigma|) \sigma(n) = 0\}$ ). The fact that UB is itself  $\Pi_1^1$  is the subtle part of this example.

Theorem 3.7 along with Definition 3.8 suggest a natural approach for gauging the complexity of the computational problems of Definition 3.3. Namely, given another  $\Sigma_1^1$  (or  $\Pi_1^1$ ) set  $X$ , we translate the question asking whether  $n \in X$  to the question of if the tree  $\mathcal{T}_n^X$  is ill-founded (resp., well-founded), and then we need to computably find an instance of our computational problem which should be accepted if and only if  $\mathcal{T}_n^X$  is ill-founded (resp., well-founded). This involves coding a tree, or more precisely, the collection of paths through a tree into the  $\sigma$  extensions in an argumentation framework. We do exactly this in Section 4.

Table 2 collects our results regarding complexities of the computational problems examined for computable argumentation frameworks.

| $\sigma$      | $\text{Cred}_\sigma^\infty$     | $\text{Skept}_\sigma^\infty$ | $\text{Exists}_\sigma^\infty$   | $\text{NE}_\sigma^\infty$       | $\text{Uni}_\sigma^\infty$       |
|---------------|---------------------------------|------------------------------|---------------------------------|---------------------------------|----------------------------------|
| <i>ad</i>     | $\Sigma_1^1\text{-c } 4.2, 3.4$ | trivial                      | trivial                         | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.3, 3.5$     |
| <i>stb</i>    | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.4, 3.5$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.3, \dagger$ |
| <i>co</i>     | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } *, 3.5$   | trivial                         | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.3, 3.5$     |
| <i>infad</i>  | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.4, 3.5$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.3, \dagger$ |
| <i>infstb</i> | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.4, 3.5$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.3, \dagger$ |
| <i>infco</i>  | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.4, 3.5$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Sigma_1^1\text{-c } 4.2, 3.4$ | $\Pi_1^1\text{-c } 4.3, \dagger$ |

**Table 2**

Computational problems for computable AFs.  $\mathcal{C}$ -c denotes completeness for the class  $\mathcal{C}$ . The entry with an asterisk is not fully proved in this paper. Rather, the  $\Pi_1^1$ -hardness for  $\text{Skept}_{co}^\infty$  is deferred to future work focusing on the grounded semantics. It is included in the table here (though partially unproved) to give a more complete picture. Similarly, the dagger in several  $\text{Uni}_\sigma^\infty$  cells reflect that the upper bounds for these cases are not proved in this paper; they appear in [1].

**Remark 3.12.** As noted before, the  $\Sigma_1^1$  sets are natural analogs in the infinitary setting of the **NP** sets, and the  $\Pi_1^1$  sets are the natural analogs of the **coNP** sets. With the exception of  $\text{Skept}_{co}^\infty$  and  $\text{Uni}_{stb}^\infty$ , Table 2 follows this translation from Table 1 for the first three rows. These two results mark surprising differences in the infinite setting.

The trivial entries are due to the fact that  $\emptyset$  is always an admissible extension and the grounded extension is always a complete extension.

### 3.3. Spectra of $\sigma$ extensions

We propose a way to more fully understand the complexity of the problem of finding a  $\sigma$  extension in a given AF  $\mathcal{F}$ .

**Definition 3.13.** For each  $e \in \omega$  and semantics  $\sigma$ , let  $\text{Spec}_\sigma^{-\emptyset}(\mathcal{F}_e)$  be the set of Turing degrees of non-empty sets  $X \subseteq \omega$  so that  $\{a_n : n \in X\}$  is a  $\sigma$  extension in  $\mathcal{F}_e$ .

The notion  $\text{Spec}_\sigma^{-\emptyset}(\mathcal{F}_e)$  exactly captures the difficulty of computing a non-empty  $\sigma$  extension in  $\mathcal{F}_e$ . We will be relating the problem of computing a  $\sigma$  extension in  $\mathcal{F}_e$  to the problem of finding a path through a particular tree. So, we define the analogous notion of the spectrum of a tree.

**Definition 3.14.** Given any computable tree  $\mathcal{T}$ , we let  $\text{Spec}(\mathcal{T})$  be set of Turing degrees of paths  $X \in [\mathcal{T}]$ .

Our main result in this direction is the following:

**Theorem 3.15.** For  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$  and for any computable tree  $\mathcal{T}$ , there exists a computable AF  $\mathcal{F}_e$  so that  $\text{Spec}_\sigma^{-\emptyset}(\mathcal{F}_e) = \text{Spec}(\mathcal{T})$ .

In [1, Theorem 3.15], we prove the converse for  $\sigma \in \{ad, stb, infad, infstb\}$ : namely, that for every  $e$ , there is a computable tree so that  $\text{Spec}_\sigma^{-\emptyset}(\mathcal{F}_e) = \text{Spec}(\mathcal{T})$ . Table 3 collects our results on spectra of extensions.

| $\sigma$      | $\text{Spec}_\sigma^{-\emptyset}$  |
|---------------|------------------------------------|
| <i>ad</i>     | Exactly $\text{Spec}(\mathcal{T})$ |
| <i>stb</i>    | Exactly $\text{Spec}(\mathcal{T})$ |
| <i>co</i>     | Any $\text{Spec}(\mathcal{T})$     |
| <i>infad</i>  | Exactly $\text{Spec}(\mathcal{T})$ |
| <i>infstb</i> | Exactly $\text{Spec}(\mathcal{T})$ |
| <i>infco</i>  | Any $\text{Spec}(\mathcal{T})$     |

**Table 3**

In this paper, we show that for any computable tree  $\mathcal{T}$ , there is a computable argumentation framework  $\mathcal{F}_e$  so that  $\text{Spec}(\mathcal{T}) = \text{Spec}_\sigma^{-\emptyset}(\mathcal{F}_e)$ . In [1], we show the converse when  $\sigma \in \{ad, stb, infad, infstb\}$ : namely, for every  $e$ , there is a computable tree so that  $\text{Spec}_\sigma^{-\emptyset}(\mathcal{F}_e) = \text{Spec}(\mathcal{T})$ .

We now discuss a few of its implications for the problem of computing  $\sigma$  extensions of computable AFs. The hyperarithmetical sets are often used as a yardstick to measure complexity of undecidable problems. A set is hyperarithmetical if and only if it is both  $\Sigma_1^1$  and  $\Pi_1^1$ . The hyperarithmetical degrees are particularly useful as a yardstick of complexity because a set  $X$  is hyperarithmetical if and only if it is computed from a set  $Y$  which can be reached by (transfinitely) iterating the halting jump operator. Thus, the number of iterations of the halting jump needed to compute  $X$  yields a useful yardstick for the complexity of  $X$ . For more information about the hyperarithmetical hierarchy, see [18, §16.8].

**Proposition 3.16.** *There is a computable argumentation framework  $\mathcal{F}_e$  which has continuum many non-empty  $\sigma$  extensions, yet no hyperarithmetical non-empty  $\sigma$  extension, whenever  $\sigma$  is in  $\{ad, stb, co, infad, infstb, infco\}$ .*

*Proof.* There exists a computable tree with uncountably many paths yet no hyperarithmetical path [18, Corollary XLI(b)]. Applying Theorem 3.15 to this tree yields a computable argumentation framework with uncountably many non-empty  $\sigma$  extensions, yet no hyperarithmetical non-empty  $\sigma$  extension.  $\square$

In the case of Proposition 3.16, there are  $\sigma$  extensions that are not particularly computationally powerful. For example, there are two  $\sigma$  extensions, each undecidable, so that the only sets they both compute are the computable sets. Thus, though there is no hyperarithmetical solution, there is also no undecidable information coded into every solution. This is always the case if an infinite AF has continuum many  $\sigma$  extensions. On the other hand, if a computable argumentation framework has only countably many  $\sigma$  extensions, the picture is quite different.


**Theorem 3.17** ([1], Corollary 6.15). *Let  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$  and suppose that  $\mathcal{F}_e$  is a computable argumentation framework with only countably many non-empty  $\sigma$  extensions. Then there is a hyperarithmetical non-empty  $\sigma$  extension of  $\mathcal{F}_e$ .*

On the other hand, we can show that there is no bound in the hyperarithmetical hierarchy on how complicated this extension might be.

**Theorem 3.18.** *Let  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$  and let  $H$  be a hyperarithmetical set. Then there exists a computable AF  $\mathcal{F}_e$  with a single non-empty  $\sigma$  extension  $X$  so that  $X$  computes  $H$ .*

*Proof.* This follows from Theorem 3.15 by encoding a tree with a single path  $\pi$  so that  $\pi$  computes  $H$ . Such a tree is known to exist for any hyperarithmetical  $H$  [18, Corollary XLIV(d)].  $\square$





**Figure 1:** Example of our encoding of trees into AFs: the left-side represents the tree  $\{\lambda, 0, 1, 10, 11\}$ , the right-side is the resulting AF. When applied to trees  $T$  of infinite height,  $[T]$  will be encoded into the stable, complete, and admissible extensions of  $\mathcal{F}_T$ . For the example shown in the figure, the only admissible extension of  $\mathcal{F}_T$  is the empty one, since  $[T] = \emptyset$ .

#### 4. Encoding a tree into an argumentation framework

Given a tree  $\mathcal{T} \subseteq \omega^{<\omega}$ , we will define an argumentation framework  $\mathcal{F}^{\mathcal{T}} = (A^{\mathcal{T}}, R^{\mathcal{T}})$ . The set of arguments  $A^{\mathcal{T}}$  of  $\mathcal{F}^{\mathcal{T}}$  is computable and consists of  $\{a_{\sigma} : \sigma \in \mathcal{T}\} \cup \{b_{\sigma} : \sigma \in \mathcal{T}\} \cup \{c\}$ . The attack relation  $R^{\mathcal{T}}$  of  $\mathcal{F}^{\mathcal{T}}$  contains all and only the following edges:

For all  $\sigma \in \mathcal{T}$ ,

1.  $b_{\sigma} \succ b_{\sigma}$ ;
2.  $b_{\sigma} \succ a_{\sigma}$ ;
3.  $a_{\sigma} \succ b_{\tau}$ , if  $|\sigma| = |\tau| + 1$ ;
4.  $a_{\sigma} \succ a_{\tau}$ , if  $|\sigma| = |\tau| + 1$  and  $\tau \not\prec \sigma$ ;
5.  $c \succ a_{\tau}$  for every  $\tau \in \mathcal{T}$ ;
6.  $a_{\lambda} \succ c$ .

Figure 1 gives an example of our encoding for a finite tree. We next consider which extensions in  $\mathcal{F}^{\mathcal{T}}$  are admissible, stable, or complete.

**Notation.** For  $\pi \in [\mathcal{T}]$ , let  $S_{\pi}$  be the set  $\{a_{\sigma} : \sigma \prec \pi\}$ .

**Lemma 4.1.** *A non-empty extension  $S$  of  $\mathcal{F}^{\mathcal{T}}$  is stable iff  $S$  is complete iff  $S$  is admissible iff  $S$  is exactly  $S_{\pi}$  for some  $\pi \in [\mathcal{T}]$ .*

*Proof.* Stable always implies complete, which always implies admissible. It is straightforward to check that  $S_{\pi}$  is stable for any  $\pi \in [\mathcal{T}]$ , so we need only show that any non-empty admissible extension is exactly some  $S_{\pi}$ . Suppose that  $S$  is admissible. Observe that  $c$  and  $b_{\sigma}$  cannot be in  $S$  since these are self-defeating. So some  $a_{\sigma} \in S$  since  $S$  is non-empty. Note that since  $c \succ a_{\sigma}$ , we must have  $a_{\lambda} \in S$ . Next, observe that if  $a_{\tau} \in S$ , then there must be some  $i$  so that  $a_{\tau \frown i} \in S$ : this is because some element of  $S$  must defend  $a_{\tau}$  from  $b_{\tau}$  and such an element must be an  $a_{\sigma}$  with  $|\sigma| = |\tau| + 1$ . But it must have  $\tau \prec \sigma$  as otherwise  $a_{\sigma}$  would attack  $a_{\tau}$ . It follows that  $S$  contains  $S_{\pi}$  for some  $\pi \in [\mathcal{T}]$ . Since  $S_{\pi}$  is stable,  $S$  cannot properly contain  $S_{\pi}$ , so  $S = S_{\pi}$ .  $\square$

We are now in a position to obtain hardness results for the computational problems described in Definition 3.3.

**Theorem 4.2.** *The following hold:*

1. for  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$ ,  $NE_\sigma^\infty$  is  $\Sigma_1^1$ -hard;
2. for  $\sigma \in \{stb, infad, infstb, infco\}$ ,  $Exist_\sigma^\infty$  is  $\Sigma_1^1$ -hard;
3. for  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$ ,  $Cred_\sigma^\infty$  is  $\Sigma_1^1$ -hard.

*Proof.* 1. Let  $X \in \Sigma_1^1$  and let  $(\mathcal{T}_n^X)_{n \in \omega}$  be a tree-sequence for  $X$ , as given by Theorem 3.7. To show  $\Sigma_1^1$ -hardness, we need to produce a computable function  $f$  so that  $n \in X$  if and only if  $f(n) \in NE_\sigma^\infty$ . We let  $f(n)$  be a computable index for  $\mathcal{F}^{\mathcal{T}_n^X}$ . Then Lemma 4.1 shows that  $n \in X$  if and only if  $\mathcal{T}_n^X$  is ill-founded if and only if  $\mathcal{F}^{\mathcal{T}_n^X}$  has a non-empty  $\sigma$  extension for each  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$ .

2. For each of these  $\sigma$ , the empty set is not a  $\sigma$  extension, so  $Exist_\sigma^\infty = NE_\sigma^\infty$ , which we showed above is  $\Sigma_1^1$ -hard.

3. In the proof of 1. above, we reduced a given  $\Sigma_1^1$  set  $X$  to  $NE_\sigma^\infty$  by sending  $n$  to  $\mathcal{F}^{\mathcal{T}_n^X}$ . Note that  $\mathcal{F}^{\mathcal{T}_n^X}$  has a non-empty  $\sigma$  extension if and only if  $a_\lambda$  is in some  $\sigma$  extension. Thus sending  $n$  to  $\langle e, a_\lambda \rangle$  where  $e$  is a computable index for  $\mathcal{F}^{\mathcal{T}_n^X}$  shows that  $Cred_\sigma^\infty$  is  $\Sigma_1^1$ -hard.  $\square$

**Theorem 4.3.** *For  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$ ,  $Uni_\sigma^\infty$  is  $\Pi_1^1$ -hard.*

*Proof.* We first consider  $\sigma \in \{ad, co\}$ . Let  $X \in \Pi_1^1$  and let  $(\mathcal{T}_n^{\omega \setminus X})_{n \in \omega}$  be a tree-sequence for its complement. Consider the sequence of AFs  $(\mathcal{F}^{\mathcal{T}_n^{\omega \setminus X}})_{n \in \omega}$ . Note that  $\emptyset$  is an admissible extension in any AF and since every argument in  $\mathcal{F}^{\mathcal{T}_n^{\omega \setminus X}}$  is attacked,  $\emptyset$  is also a complete extension. Thus,  $\mathcal{F}^{\mathcal{T}_n^{\omega \setminus X}}$  has a unique  $\sigma$  extension if and only if  $\mathcal{T}_n^{\omega \setminus X}$  is well founded if and only if  $n \in X$ , which shows that  $Uni_{ad}^\infty$  and  $Uni_{co}^\infty$  are  $\Pi_1^1$ -hard.

For the other  $\sigma$ ,  $\emptyset$  is not a  $\sigma$  extension. We use Theorem 3.10 to show  $\Pi_1^1$ -hardness. Let  $X$  be any  $\Pi_1^1$  set. Then we get from Remark 3.11 a sequence of trees  $\mathcal{T}'_n$  so that  $0^\infty \in [\mathcal{T}'_n]$  for each  $n$ , and  $\{n : \mathcal{T}'_n \text{ has only one path}\}$  is  $\Pi_1^1$ -hard. It follows from Lemma 4.1 that this holds if and only if  $\mathcal{F}^{\mathcal{T}'_n}$  has a unique  $\sigma$  extension, which shows the  $\Pi_1^1$ -hardness of  $Uni_\sigma^\infty$ .  $\square$

**Theorem 4.4.** *For any  $\sigma \in \{stb, infstb, infco, infad\}$ ,  $Skept_\sigma^\infty$  is  $\Pi_1^1$ -hard.*

*Proof.* Let  $X$  be a  $\Pi_1^1$  set. Then we get from Remark 3.11 a sequence of trees  $\mathcal{T}'_n$  so that  $0^\infty \in [\mathcal{T}'_n]$  for each  $n$ , and  $\{n : \mathcal{T}'_n \text{ has only one path}\}$  is  $\Pi_1^1$ -hard. Then note that  $\langle e, a_0 \rangle \in Skept_\sigma^\infty$  where  $e$  is a computable index for  $\mathcal{G}_n := \mathcal{F}_{\mathcal{T}'_n}$  if and only if  $\mathcal{T}'_n$  only has paths  $\pi$  with  $\pi(0) = 0$  if and only if  $\mathcal{T}'_n$  has only one path (see the definition of  $\mathcal{T}'_n$  in Remark 3.11) if and only if  $n \in X$ . This shows the  $\Pi_1^1$ -hardness of  $Skept_\sigma^\infty$ .  $\square$

**Theorem 4.5.** *For  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$  and for any computable tree  $\mathcal{T}$ , there exists a computable AF  $\mathcal{F}_e$  so that  $Spec_\sigma^{-\emptyset}(\mathcal{F}_e) = Spec(\mathcal{T})$ .*

*Proof.* Observe that for the AF  $\mathcal{F}_e = \mathcal{F}^{\mathcal{T}}$ , it follows from Lemma 4.1 that the non-empty  $\sigma$  extensions are all infinite and are in the same Turing degrees as the paths through  $\mathcal{T}$ .  $\square$

## 5. Complexity of $Cred_\sigma^\infty(\mathcal{F}_e)$ and $Skept_\sigma^\infty(\mathcal{F}_e)$

In this section, we examine the complexity of the problems  $Cred_\sigma^\infty(\mathcal{F}_e)$  and  $Skept_\sigma^\infty(\mathcal{F}_e)$  for a single computable argumentation framework  $\mathcal{F}_e$ . Note that  $Cred_\sigma^\infty(\mathcal{F}_e)$  is no more complicated than the full problem  $Cred_\sigma^\infty$ , so  $Cred_\sigma^\infty(\mathcal{F}_e)$  is  $\Sigma_1^1$  for  $\sigma \in \{ad, stb, co, infad, infstb, infco\}$ , and  $Skept_\sigma^\infty(\mathcal{F}_e)$  is  $\Pi_1^1$  for  $\sigma \in \{stb, co, infad, infstb, infco\}$ . Recall that  $Skept_{ad}^\infty$  is trivial.

Here we show that even restricting to a single computable argumentation framework, these sets can be  $\Sigma_1^1$ -complete or  $\Pi_1^1$ -complete. We do omit discussion of  $Skept_{co}^\infty(\mathcal{F}_e)$ , just as we omitted discussion

of the hardness for  $\text{Skept}_{co}^\infty$  above. This is because  $\text{Skept}_{co}^\infty(\mathcal{F}_e)$  is exactly the grounded extension of  $\mathcal{F}$ . In future work giving a systematic analysis of the complexity of the grounded semantics in infinite argumentation frameworks, we will examine the remaining entry in Table 2, namely that  $\text{Skept}_{co}^\infty$  is  $\Pi_1^1$ -hard, and we will also consider the complexity of  $\text{Skept}_{co}^\infty(\mathcal{F}_e)$  for a single computable AF  $\mathcal{F}_e$ .

In the previous section, we built AFs  $\mathcal{F}^\mathcal{T}$  specifically to code a single  $\Sigma_1^1$ -question into a single question about extensions in  $\mathcal{F}^\mathcal{T}$ , e.g.,  $\mathcal{T}$  is ill-founded if and only if  $a_\lambda \in \text{Cred}_{ad}^\infty(\mathcal{F}^\mathcal{T})$ . We will use the following notion of a disjoint union of AFs to build a single AF  $\mathcal{F}$  so that  $\text{Cred}_{ad}^\infty(\mathcal{F})$  codes multiple  $\Sigma_1^1$  questions.

**Definition 5.1.** *If  $(\mathcal{F}^k)_{k \in \omega}$  is a countable sequence of argumentation frameworks where each  $\mathcal{F}^k = (A^k, R^k)$ , then we define the disjoint union  $\mathcal{H}$  of the sequence  $(\mathcal{F}^k)_{k \in \omega}$  as follows:  $\mathcal{H} = (A_\mathcal{H}, R_\mathcal{H})$ , where  $A_\mathcal{H} = \{ \langle a, k \rangle : a \in A^k \}$  and  $(\langle a, j \rangle, \langle b, k \rangle) \in R_\mathcal{H} \Leftrightarrow j = k \wedge (a, b) \in R^k$*

We omit the proof of the following easy lemma.

**Lemma 5.2.** *Let  $\mathcal{H}$  be the disjoint union of a sequence of AFs  $(\mathcal{F}^k)_{k \in \omega}$  and  $\sigma \in \{ad, stb, co\}$ . A set  $Y \subseteq A_\mathcal{H}$  is a  $\sigma$  extension of  $\mathcal{H}$  if and only if for each  $n$ ,  $Y_n := \{c \in A^n : \langle c, n \rangle \in Y\}$  is a  $\sigma$  extension in  $\mathcal{F}^n$ .*

**Theorem 5.3.** *There is a computable argumentation framework  $\mathcal{F}_e$  so that  $\text{Cred}_{ad}^\infty(\mathcal{F}_e) = \text{Cred}_{infad}^\infty(\mathcal{F}_e) = \text{Cred}_{co}^\infty(\mathcal{F}_e) = \text{Cred}_{infco}^\infty(\mathcal{F}_e)$  is  $\Sigma_1^1$ -complete.*

*Proof.* Let  $X$  be a  $\Sigma_1^1$ -complete set, and let  $(\mathcal{T}_n^X)_{n \in \omega}$  be a tree-sequence for  $X$ . We consider the argumentation framework  $\mathcal{H}^X$  which is the disjoint union of the sequence  $(\mathcal{F}^{\mathcal{T}_k^X})_{k \in \omega}$  of argumentation frameworks. Note that since the sequence of trees  $\mathcal{T}_k^X$  is a computable sequence of computable trees,  $\mathcal{H}^X$  is a computably presented argumentation framework.

Note that an argument  $\langle a_\sigma, k \rangle$  is a member of an admissible extension in  $\mathcal{H}^X$  if and only if  $a_\sigma$  is a member of an admissible extension in  $\mathcal{F}^{\mathcal{T}_k^X}$  by Lemma 5.2 and the fact that the empty set is an admissible extension in all of the  $\mathcal{F}^{\mathcal{T}_k^X}$ . Similarly,  $\langle a_\sigma, k \rangle$  is a member of a complete extension in  $\mathcal{H}^X$  if and only if  $a_\sigma$  is a member of a complete extension in  $\mathcal{F}^{\mathcal{T}_k^X}$ . By Lemma 4.1, each of these conditions is equivalent to  $\sigma$  being on a path in  $[\mathcal{T}_k^X]$ , thus  $\text{Cred}_{ad}^\infty(\mathcal{F}_e) = \text{Cred}_{co}^\infty(\mathcal{F}_e)$ . Since all of the non-empty admissible extensions in  $\mathcal{F}^{\mathcal{T}_k^X}$  are infinite, these coincide with  $\text{Cred}_{infad}^\infty(\mathcal{F}_e) = \text{Cred}_{infco}^\infty(\mathcal{F}_e)$ .

We now give a reduction of  $X$  to  $\text{Cred}_{ad}^\infty(\mathcal{H}^X)$ . We need to give a computable function  $f$  so that  $n \in X$  if and only if  $f(n) \in \text{Cred}_{ad}^\infty(\mathcal{H}^X)$ . We define  $f(n) = \langle a_\lambda, n \rangle$ . Then  $\langle a_\lambda, n \rangle \in \text{Cred}_{ad}^\infty(\mathcal{H}^X)$  if and only if there is a path in  $[\mathcal{T}_n^X]$  if and only if  $n \in X$ , showing the  $\Sigma_1^1$ -hardness of  $\text{Cred}_{ad}^\infty(\mathcal{H}^X)$ .  $\square$

With a more cumbersome construction, given in [1], we may show that we can find a single computable argumentation framework that simultaneously witnesses the hardness for each of the  $\text{Cred}_\sigma^\infty(\mathcal{F}_e)$  and  $\text{Skept}_\sigma^\infty(\mathcal{F}_e)$  which we analyze in this paper.

**Theorem 5.4** ([1], Theorem 5.4). *There is a single computable argumentation framework  $\mathcal{F}_e$  so that  $\text{Cred}_\sigma^\infty(\mathcal{F}_e)$  is  $\Sigma_1^1$ -complete for each  $\sigma \in \{ad, co, stb, infad, infco, infstb\}$  and  $\text{Skept}_\sigma^\infty(\mathcal{F}_e)$  is  $\Pi_1^1$ -complete for each  $\sigma \in \{stb, infad, infco, infstb\}$ .*

## 6. Conclusion and future work

In this paper, we initiated a systematic exploration of the complexity issues inherent to infinite argumentation frameworks. To pursue this direction, we employed computability theoretic techniques which are ideally suited for assessing the complexity of infinite mathematical objects. Our focus was on the credulous and skeptical acceptance of arguments, as well as the existence and uniqueness of extensions, for admissible, complete, and stable semantics. We introduced and explored new semantics that are meaningful exclusively in the infinite setting, concerning the existence of infinite extensions that satisfy a given semantics  $\sigma$ . The computational problems we examined (here and in [1]) were found to be maximally complex, properly belonging to the complexity classes of  $\Sigma_1^1$  and  $\Pi_1^1$  sets.

A plethora of intriguing questions regarding the complexity of infinite AFs remains open. First, we shall fill the gaps that we left behind (such as proving the  $\Pi_1^1$ -hardness for  $\text{Skept}_{co}^\infty$ ). Next, we aim at investigating whether the computational problems considered in this paper become more tractable if we restrict to special classes of AFs, such as the *finitary* ones (i.e., those in which each argument receives finitely many attacks only [8]). Finally, future research will extend our analysis to analogous problems associated with other key semantics for AFs, including grounded, preferred, and ideal semantics. Given that the definitions of these semantics are more intricate than those we examined here, we anticipate the need for additional techniques to thoroughly analyze them.

## Acknowledgments

Andrews was partially supported by NSF grant DMS-2348792. San Mauro is a member of INDAM-GNSAGA.

## References

- [1] U. Andrews, L. San Mauro, On computational problems for infinite argumentation frameworks: Hardness of finding acceptable extensions, in: *Proceedings of the 10th Workshop on Formal and Cognitive Reasoning (FCR-2024)*, CEUR Workshop Proceedings, 2024. URL: <https://ceur-ws.org/Vol-3763/paper4.pdf>.
- [2] P. Baroni, F. Cerutti, P. E. Dunne, M. Giacomin, Automata for infinite argumentation structures, *Artificial Intelligence* 203 (2013) 104–150.
- [3] P. M. Dung, On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games, *Artificial intelligence* 77 (1995) 321–357.
- [4] A. J. García, G. R. Simari, Defeasible logic programming: An argumentative approach, *Theory and practice of logic programming* 4 (2004) 95–138.
- [5] P. Baroni, M. Giacomin, G. Guida, Self-stabilizing defeat status computation: dealing with conflict management in multi-agent systems, *Artificial Intelligence* 165 (2005) 187–259.
- [6] B. Verheij, Deflog: on the logical interpretation of prima facie justified assumptions, *Journal of Logic and Computation* 13 (2003) 319–346.
- [7] M. Caminada, N. Oren, Grounded semantics and infinitary argumentation frameworks, in: *Proceedings of the 26th Benelux Conference on Artificial Intelligence, BNAIC, 2014*, pp. 25–32.
- [8] R. Baumann, C. Spanring, Infinite argumentation frameworks: On the existence and uniqueness of extensions, in: *Advances in Knowledge Representation, Logic Programming, and Abstract Argumentation: Essays Dedicated to Gerhard Brewka on the Occasion of his 60th Birthday*, Springer, 2015, pp. 281–295.
- [9] P. Baroni, F. Cerutti, P. E. Dunne, M. Giacomin, Computing with infinite argumentation frameworks: The case of afras, in: *Theorie and Applications of Formal Argumentation: First International Workshop, TAFA 2011*. Barcelona, Spain, July 16-17, 2011, Springer, 2012, pp. 197–214.
- [10] S. Bistarelli, F. Santini, et al., Weighted argumentation., *FLAP* 8 (2021) 1589–1622.
- [11] P. E. Dunne, Coherence in finite argument systems, *Artificial Intelligence* 141 (2002) 187–203.
- [12] P. E. Dunne, The computational complexity of ideal semantics, *Artificial Intelligence* 173 (2009) 1559–1591.
- [13] W. Dvořák, S. Woltran, Complexity of semi-stable and stage semantics in argumentation frameworks, *Information Processing Letters* 110 (2010) 425–430.
- [14] K. V. Velupillai, *Computable foundations for economics*, Routledge, 2012.
- [15] G. Jäger, J. Rogers, Formal language theory: refining the chomsky hierarchy, *Philosophical Transactions of the Royal Society B: Biological Sciences* 367 (2012) 1956–1970.
- [16] P. Baroni, M. Giacomin, Semantics of abstract argument systems, *Argumentation in artificial intelligence* (2009) 25–44.

- [17] P. E. Dunne, M. Wooldridge, Complexity of abstract argumentation, *Argumentation in artificial intelligence* (2009) 85–104.
- [18] H. Rogers Jr, *Theory of recursive functions and effective computability*, MIT press, 1987.
- [19] S. C. Kleene, Arithmetical predicates and function quantifiers, *Transactions of the American Mathematical Society* 79 (1955) 312–340.
- [20] A. Kechris, *Classical descriptive set theory*, volume 156, Springer Science & Business Media, 2012.