

Improving the Cost of Updates in Virtual Knowledge Graphs

Romuald Esdras Wandji^{1,*}, Diego Calvanese^{1,2}

¹*Department of Computing Science, Umeå Universitet, Umeå, Sweden*

²*Research Centre for Knowledge and Data, Faculty of Engineering, Free University of Bozen-Bolzano, Bolzano, Italy*

Abstract

Virtual Knowledge Graph (VKG) is known as a data integration paradigm used to efficiently manage the heterogeneity of richly structured data that is common inside several organizations, in inter-organizational settings, and more openly on the Web. Although such a paradigm continues to gain importance in both foundational and applied research, updates in VKG systems remain an open challenge that has received less attention. Yet, a solution to such a problem would be of great importance, as it would allow VKG systems to be full-fledged, thus allowing end-users to fully manage source data through the lens of the ontology they are exposed to. This research aims to propose a comprehensive framework for instance-level updates in VKGs, where updates posed over the ontology have to be translated into source-level updates and, more importantly, how the side effects related to the propagation of ontology-based updates to the underlying data source can be minimized.

Keywords

Knowledge Representation, Virtual Knowledge Graph (VKG), Ontology-based Data Access, View Updates

1. Introduction

As a rapidly growing field, *Virtual Knowledge Graphs* (VKGs) are robust tools for integrating heterogeneous data sources with the help of ontologies. VKG systems are virtual approaches that allow users to issue high-level ontological queries, which are automatically translated into equivalent low-level queries (like SQL in a relational setting) that the database engine at the underlying data source can execute. Formerly known as ontology-based data Access (OBDA), a VKG system consists of three main components: an ontology, a set of data sources, and a declarative mapping between the two [1, 2, 3, 4]. The ontology is a unified and abstract view of multiple local data sources, thus allowing for more expressive data querying and improving data integration, and is represented using a formal language. The ontology language specifically tailored to the VKG setting is the OWL 2 QL profile (i.e., sub-language) [5, 6] of the Web Ontology Language (OWL 2) [7], standardized by the W3C. The data sources to be integrated, which are

Proceedings of the Joint Ontology Workshops (JOWO) - Episode X: The Tukker Zomer of Ontology, and satellite events co-located with the 14th International Conference on Formal Ontology in Information Systems (FOIS 2024), July 15-19, 2024, Enschede, The Netherlands

*Corresponding author.

✉ romuald.esdras.wandji@umu.se (R. E. Wandji); diego.calvanese@unibz.it (D. Calvanese)

🌐 <https://www.umu.se/en/staff/romuald-esdras-wandji> (R. E. Wandji); <http://www.inf.unibz.it/~calvanese/> (D. Calvanese)

🆔 0009-0008-5036-2452 (R. E. Wandji); 0000-0001-5174-9693 (D. Calvanese)

© 2024 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

typically relational, contain the information relevant for the domain of interest and are accessed and managed by (possibly) different organizations. Finally, the mapping is a set of declarative assertions expressed in the R2RML language [8] that describe how to populate the ontology from the data retrieved from the sources. In the VKG approach, the facts generated via the mapping from the underlying data source are kept virtual and are thus available to the user at query time. The main reasoning service provided by VKG systems so far is *query answering*, which is carried out through *query rewriting* and *query unfolding* [1, 9].

Problem Statement and Contribution. VKGs provide the ability to query information stored in data sources using Semantic Web technologies, such as Resource Description Framework (RDF) [10] and OWL 2, which allows the user to leverage the open-world assumption provided by the Semantic Web while maintaining the data in sources that traditionally operate under the closed-world assumption. However, by taking advantage of a Knowledge Graph's capacity to handle incomplete information, it would be desirable to also provide support for update operations over the source data through the lens of the ontology. Such a feature will allow data and content owners to detach from low-level details of the underlying source structure and organization. Unfortunately, the issue of updates in VKGs, which accounts for the translation of a set of (complete/incomplete) insertion or deletion operations over the ontology into equivalent operations over the data source, has received little attention so far and remains a challenging task. A solution to this problem would be of great practical relevance since it would allow the management of the key operations that are of interest in an information system (i.e., queries *and updates*) through the lens of an ontology.

This research aims at introducing in VKGs the notion of *ontology-based update* and *evolution* and to study foundational and applied issues related to this extension. In particular, it would be possible to: (a) Insert new objects into a class of the ontology and populate the corresponding relations that are mapped to this class. (b) Add a new data property instance to an object in a class and populate the corresponding attribute(s) that are mapped to this class. (c) Connect two objects in two classes of the ontology through an object property instance and populate the corresponding attributes and relations that are mapped to these classes. (d) Remove an object, an instance of a data property, or an instance of an object property by deleting the corresponding data from the underlying mapped relations. (e) Perform a combination of multiple operations of the types above. Overall, this research aims at extending the capabilities of the VKG framework from “*read-only*” to “*write-also*”, so as to dynamically manage and evolve data through ontology-based operations.

Importance. Enriching VKGs with update and evolution capabilities while maintaining consistency represents an important step toward the practical usefulness of the VKG paradigm, as it will impact how modern information systems handle data, making them more flexible and responsive to changes. Using low-level languages like SQL to manage complex and large data can be challenging and time consuming as it requires domain experts for maintenance. However, by leveraging ontologies specified in user-friendly languages, organizations could simplify data management, reducing reliance on domain experts, lowering operational costs, and increasing organizational agility.

2. Research Questions

We observe that in the typical context of incomplete information provided by an ontology, each of the insertion operations and their combination may generate an inconsistency in the data with respect to the axioms contained in the ontology. In order to characterize the semantics of such a system it becomes therefore necessary to rely on a suitably-defined consistency-tolerant semantics, e.g., based on the notion of repair. A second challenge in VKG systems comes from the presence of mappings, due to the inherent ambiguity that such mappings introduce when there is the need to propagate an ontology-based update (even one that does not generate an inconsistency, such as a delete operation) to the source data. Indeed, a VKG mapping is essentially a view that defines an ontology element (class or property) in terms of a query over the data source. Hence, each update over the ontology element translates into an update over the view that combines all queries that correspond to mappings for that ontology element, and thus faces the *view-update* problem that has a long history in relational database management [11, 12, 13].

This scenario poses a set of challenges and research questions that we aim to investigate:

- RQ1** Under which conditions can update operations over a (virtual) knowledge graph in the presence of an ontology be rewritten into update operations performed directly over the (virtual) objects that constitute the knowledge graph (without the need to take into account the ontology axioms)?
- RQ2** Under which conditions can update operations over a VKG defined by a data source and a set of declarative mappings, be faithfully realized through update operations over the data source? Under which conditions is the translation uniquely determined?
- RQ3** How can one find the source update operation that realizes a given update operation over a VKG? When the VKG update is not realizable, how can one find the best approximation (within the space of all possible source updates)? How can one efficiently search over the space of all source updates?
- RQ4** When an update over a VKG is either not realizable or not uniquely determined, which additional information is it necessary to maintain in order to find an effective solution to the view-update problem for VKG mappings?
- RQ5** How can update operations over a VKG be implemented effectively in a state-of-the-art VKG system that supports query rewriting?

Acknowledgments

This work has been partially supported by the Wallenberg AI, Autonomous Systems and Software Program (WASP) funded by the Knut and Alice Wallenberg Foundation, by the Province of Bolzano and DFG through the project D2G2 (DFG grant n. 500249124), and by the HEU project CyclOps (under GA n. 101135513).

References

- [1] A. Poggi, D. Lembo, D. Calvanese, G. De Giacomo, M. Lenzerini, R. Rosati, Linking data to ontologies, *J. on Data Semantics* 10 (2008) 133–173. doi:10.1007/978-3-540-77688-8_5.
- [2] D. Calvanese, G. De Giacomo, D. Lembo, M. Lenzerini, A. Poggi, M. Rodriguez-Muro, R. Rosati, Ontologies and databases: The *DL-Lite* approach, in: S. Tessaris, E. Franconi (Eds.), *Reasoning Web: Semantic Technologies for Informations Systems – 5th Int. Summer School Tutorial Lectures (RW)*, volume 5689 of *Lecture Notes in Computer Science*, Springer, 2009, pp. 255–356.
- [3] G. Xiao, D. Calvanese, R. Kontchakov, D. Lembo, A. Poggi, R. Rosati, M. Zakharyashev, Ontology-based data access: A survey, in: *Proc. of the 27th Int. Joint Conf. on Artificial Intelligence (IJCAI)*, IJCAI Org., 2018, pp. 5511–5519. doi:10.24963/ijcai.2018/777.
- [4] G. Xiao, L. Ding, B. Cogrel, D. Calvanese, *Virtual Knowledge Graphs: An overview of systems and use cases*, *Data Intelligence* 1 (2019) 201–223. doi:10.1162/dint_a_00011.
- [5] B. Motik, B. Cuenca Grau, I. Horrocks, Z. Wu, A. Fokoue, C. Lutz, *OWL 2 Web Ontology Language Profiles (Second Edition)*, W3C Recommendation, World Wide Web Consortium, 2012. Available at <http://www.w3.org/TR/owl2-profiles/>.
- [6] M. Krötzsch, *OWL 2 profiles: An introduction to lightweight ontology languages*, in: *Reasoning Web: Semantic Technologies for Advanced Query Answering – 8th Int. Summer School Tutorial Lectures (RW)*, volume 7487 of *Lecture Notes in Computer Science*, Springer, 2012, pp. 112–183. doi:10.1007/978-3-642-33158-9_4.
- [7] J. Bao, et al., *OWL 2 Web Ontology Language Document Overview (Second Edition)*, W3C Recommendation, World Wide Web Consortium, 2012. Available at <http://www.w3.org/TR/owl2-overview/>.
- [8] S. Das, S. Sundara, R. Cyganiak, *R2RML: RDB to RDF Mapping Language*, W3C Recommendation, World Wide Web Consortium, 2012. Available at <http://www.w3.org/TR/r2rml/>.
- [9] D. Calvanese, B. Cogrel, S. Komla-Ebri, R. Kontchakov, D. Lanti, M. Rezk, M. Rodriguez-Muro, G. Xiao, *Ontop: Answering SPARQL queries over relational databases*, *Semantic Web J.* 8 (2017) 471–487. doi:10.3233/SW-160217.
- [10] J. Z. Pan, *Resource Description Framework*, in: *Handbook on Ontologies*, Springer, 2009, pp. 71–90. doi:10.1007/978-3-540-92673-3_3.
- [11] F. Bancilhon, N. Spyrtos, *Update semantics of relational views*, *ACM Trans. on Database Systems* 6 (1981) 557–575.
- [12] S. S. Cosmadakis, C. H. Papadimitriou, *Updates of relational views*, *J. of the ACM* 31 (1984) 742–760. doi:10.1145/1634.1887.
- [13] A. C. Kakas, P. Mancarella, *Database updates through abduction*, in: *Proc. of the 16th Int. Conf. on Very Large Data Bases (VLDB)*, volume 90, 1990, pp. 650–661.