

Concept lattices in fuzzy relation equations*

Juan Carlos Díaz and Jesús Medina**

Department of Mathematics. University of Cádiz
Email: {juancarlos.diaz, jesus.medina}@uca.es

Abstract. Fuzzy relation equations are used to investigate theoretical and applicational aspects of fuzzy set theory, e.g., approximate reasoning, time series forecast, decision making and fuzzy control, etc.. This paper relates these equations to a particular kind of concept lattices.

1 Introduction

Recently, multi-adjoint property-oriented concept lattices have been introduced in [16] as a generalization of property-oriented concept lattices [10, 11] to a fuzzy environment. These concept lattices are a new point of view of rough set theory [23] that considers two different sets: the set of objects and the set of attributes.

On the other hand, fuzzy relation equations, introduced by E. Sanchez [28], are associated to the composition of fuzzy relations and have been used to investigate theoretical and applicational aspects of fuzzy set theory [22], e.g., approximate reasoning, time series forecast, decision making, fuzzy control, as an appropriate tool for handling and modeling of nonprobabilistic form of uncertainty, etc. Many papers have investigated the capacity to solve (systems) of fuzzy relation equations, e.g., in [1, 8, 9, 25, 26].

In this paper, the multi-adjoint relation equations are presented as a generalization of the fuzzy relation equations [24, 28]. This general environment inherits the properties of the multi-adjoint philosophy, consequently, e.g., several conjunctors and residuated implications defined on general carriers as lattice structures can be used, which provide more flexibility in order to relate the variables considered in the system.

Moreover, multi-adjoint property-oriented concept lattices and systems of multi-adjoint relation equations have been related in order to obtain results that ensure the existence of solutions in these systems. These definitions and results are illustrated by a toy example to improve the readability and comprehension of the paper.

Among all concept lattice frameworks, we have related the multi-adjoint property-oriented concept lattices to the systems of multi-adjoint relation equations, e.g., the extension and intension operators of this concept lattice can be

* Partially supported by the Spanish Science Ministry TIN2009-14562-C05-03 and by Junta de Andalucía project P09-FQM-5233.

** Corresponding author.

used to represent multi-adjoint relation equations, and, as a result, the solutions of these systems of relation equations can be related to the concepts of the corresponding concept lattice.

The more important consequence is that this relation provides that the properties given, e.g., in [2–4,12,14,17,18,27] can be applied to obtain many properties of these systems. Indeed, it can be considered that the algorithms presented, e.g., in [5,6,15] obtain solutions for these systems.

The plan of this paper is the following: in Section 2 we will recall the multi-adjoint property-oriented concept lattices as well as the basic operators used and some properties; later, in Section 3, an example will be introduced to motivate the multi-adjoint relation equations. Once these equations have been presented, in Section 4 the multi-adjoint property-oriented concept lattices and the systems of multi-adjoint relation equations will be related in order to obtain results which ensure the existence of solutions in these systems; the paper ends with some conclusions and prospects for future work.

2 Multi-adjoint property-oriented concept lattices

The basic operators in this environment are the adjoint triples, which are formed by three mappings: a non-commutativity conjunctive and two residuated implications [13], which satisfy the well-known adjoint property.

Definition 1. *Let (P_1, \leq_1) , (P_2, \leq_2) , (P_3, \leq_3) be posets and $\&: P_1 \times P_2 \rightarrow P_3$, $\swarrow: P_3 \times P_2 \rightarrow P_1$, $\searrow: P_3 \times P_1 \rightarrow P_2$ be mappings, then $(\&, \swarrow, \searrow)$ is an adjoint triple with respect to P_1, P_2, P_3 if:*

1. $\&$ is order-preserving in both arguments.
2. \swarrow and \searrow are order-preserving on the first argument¹ and order-reversing on the second argument.
3. $x \leq_1 z \swarrow y$ iff $x \& y \leq_3 z$ iff $y \leq_2 z \searrow x$, where $x \in P_1$, $y \in P_2$ and $z \in P_3$.

Example of adjoint triples are the Gödel, product and Lukasiewicz t-norms together with their residuated implications.

Example 1. Since the Gödel, product and Lukasiewicz t-norms are commutative, the residuated implications satisfy that $\swarrow^G = \searrow_G$, $\swarrow^P = \searrow_P$ and $\swarrow^L = \searrow_L$. Therefore, the Gödel, product and Lukasiewicz adjoint triples are defined on $[0, 1]$ as:

$$\begin{aligned} \&_P(x, y) &= x \cdot y & z \searrow_P x &= \min(1, z/x) \\ \&_G(x, y) &= \min(x, y) & z \searrow_G x &= \begin{cases} 1 & \text{if } x \leq z \\ z & \text{otherwise} \end{cases} \\ \&_L(x, y) &= \max(0, x + y - 1) & z \searrow_L x &= \min(1, 1 - x + z) \end{aligned}$$

¹ Note that the antecedent will be evaluated on the right side, while the consequent will be evaluated on the left side, as in logic programming framework.

In [19] more general examples of adjoint triples are given.

The basic structure, which allows the existence of several adjoint triples for a given triplet of lattices, is the multi-adjoint property-oriented frame.

Definition 2. *Given two complete lattices (L_1, \preceq_1) and (L_2, \preceq_2) , a poset (P, \leq) and adjoint triples with respect to P, L_2, L_1 , $(\&_i, \swarrow^i, \nwarrow_i)$, for all $i = 1, \dots, l$, a multi-adjoint property-oriented frame is the tuple*

$$(L_1, L_2, P, \preceq_1, \preceq_2, \leq, \&_1, \swarrow^1, \nwarrow_1, \dots, \&_l, \swarrow^l, \nwarrow_l)$$

Multi-adjoint property-oriented frames are denoted as $(L_1, L_2, P, \&_1, \dots, \&_l)$. Note that the notation is similar to a multi-adjoint frame [18], although the adjoint triples are defined on different carriers.

The definition of context is analogous to the one given in [18].

Definition 3. *Let $(L_1, L_2, P, \&_1, \dots, \&_l)$ be a multi-adjoint property-oriented frame. A context is a tuple (A, B, R, σ) such that A and B are non-empty sets (usually interpreted as attributes and objects, respectively), R is a P -fuzzy relation $R: A \times B \rightarrow P$ and $\sigma: B \rightarrow \{1, \dots, l\}$ is a mapping which associates any element in B with some particular adjoint triple in the frame.²*

From now on, we will fix a multi-adjoint property-oriented frame and context, $(L_1, L_2, P, \&_1, \dots, \&_l), (A, B, R, \sigma)$.

Now we define the following mappings $\uparrow^\pi: L_2^B \rightarrow L_1^A$ and $\downarrow^N: L_1^A \rightarrow L_2^B$ as

$$g^{\uparrow^\pi}(a) = \sup\{R(a, b) \&_{\sigma(b)} g(b) \mid b \in B\} \quad (1)$$

$$f^{\downarrow^N}(b) = \inf\{f(a) \nwarrow_{\sigma(b)} R(a, b) \mid a \in A\} \quad (2)$$

Clearly, these definitions³ generalize the classical possibility and necessity operators [11] and they form an isotone Galois connection [16]. There are two dual versions of the notion of Galois connection. The most famous Galois connection, where the maps are order-reversing, is properly called *Galois connection*, and the other in which the maps are order-preserving, will be called *isotone Galois connection*. In order to make this contribution self-contained, we recall their formal definitions:

Let (P_1, \leq_1) and (P_2, \leq_2) be posets, and $\downarrow: P_1 \rightarrow P_2, \uparrow: P_2 \rightarrow P_1$ mappings, the pair (\uparrow, \downarrow) forms a *Galois connection* between P_1 and P_2 if and only if: \uparrow and \downarrow are order-reversing; $x \leq_1 x^{\downarrow\uparrow}$, for all $x \in P_1$, and $y \leq_2 y^{\uparrow\downarrow}$, for all $y \in P_2$.

The one we adopt here is the dual definition: Let (P_1, \leq_1) and (P_2, \leq_2) be posets, and $\downarrow: P_1 \rightarrow P_2, \uparrow: P_2 \rightarrow P_1$ mappings, the pair (\uparrow, \downarrow) forms an *isotone Galois connection* between P_1 and P_2 if and only if: \uparrow and \downarrow are order-preserving; $x \leq_1 x^{\downarrow\uparrow}$, for all $x \in P_1$, and $y^{\uparrow\downarrow} \leq_2 y$, for all $y \in P_2$.

² A similar theory could be developed by considering a mapping $\tau: A \rightarrow \{1, \dots, l\}$ which associates any element in A with some particular adjoint triple in the frame.

³ From now on, to improve readability, we will write $\&_b, \nwarrow_b$ instead of $\&_{\sigma(b)}, \nwarrow_{\sigma(b)}$.

A concept, in this environment, is a pair of mappings $\langle g, f \rangle$, with $g \in L^B$, $f \in L^A$, such that $g^{\uparrow\pi} = f$ and $f^{\downarrow^N} = g$, which will be called *multi-adjoint property-oriented formal concept*. In that case, g is called the *extension* and f , the *intension* of the concept. The set of all these concepts will be denoted as $\mathcal{M}_{\pi N}$ [16].

Definition 4. A multi-adjoint property-oriented concept lattice is the set

$$\mathcal{M}_{\pi N} = \{\langle g, f \rangle \mid g \in L_2^B, f \in L_1^A \text{ and } g^{\uparrow\pi} = f, f^{\downarrow^N} = g\}$$

in which the ordering is defined by $\langle g_1, f_1 \rangle \preceq \langle g_2, f_2 \rangle$ iff $g_1 \preceq_2 g_2$ (or equivalently $f_1 \preceq_1 f_2$).

The pair $(\mathcal{M}_{\pi N}, \preceq)$ is a complete lattice [16], which generalize the concept lattice introduced in [7] to a fuzzy environment.

3 Multi-adjoint relation equations

This section begins with an example that motivates the definition of multi-adjoint relation equations, which will be introduced later.

3.1 Multi-adjoint logic programming

A short summary of the main features of multi-adjoint languages will be presented. The reader is referred to [20, 21] for a complete formulation.

A language \mathcal{L} contains propositional variables, constants, and a set of logical connectives. In this fuzzy setting, the usual connectives are adjoint triples and a number of aggregators.

The language \mathcal{L} is interpreted on a (*biresiduated*) *multi-adjoint lattice*,⁴ $\langle L, \preceq, \swarrow^1, \nwarrow_1, \&_1, \dots, \swarrow^n, \nwarrow_n, \&_n \rangle$, which is a complete lattice L equipped with a collection of adjoint triples $\langle \&_i, \swarrow^i, \nwarrow_i \rangle$, where each $\&_i$ is a conjunctive intended to provide a *modus ponens*-rule with respect to \swarrow^i and \nwarrow_i .

A *rule* is a formula $A \swarrow^i B$ or $A \nwarrow_i B$, where A is a propositional symbol (usually called the *head*) and B (which is called the *body*) is a formula built from propositional symbols B_1, \dots, B_n ($n \geq 0$), truth values of L and conjunctions, disjunctions and aggregations. Rules with an empty body are called *facts*.

A *multi-adjoint logic program* is a set of pairs $\langle \mathcal{R}, \alpha \rangle$, where \mathcal{R} is a rule and α is a value of L , which may express the confidence which the user of the system has in the truth of the rule \mathcal{R} . Note that the truth degrees in a given program are expected to be assigned by an expert.

Example 2. Let us to consider a multi-adjoint lattice

$$\langle [0, 1], \preceq, \leftarrow_G, \&_G, \leftarrow_P, \&_P, \wedge_L \rangle$$

⁴ Note that a multi-adjoint lattice is a particular case of a multi-adjoint property-oriented frame.

Therefore, for each $u \in U$, we obtain a “row” of R (i.e. the elements $R(u, v_i)$, with $i \in \{1, \dots, n\}$), consequently, solving m similar systems, the unknown relation R is obtained.

Systems (5) and (7) have the same goal, searching for the unknown relation R although the mechanism is different.

Analyzing these systems, we have that the left side of these systems can be represented by the mappings $C_K: L_2^m \rightarrow L_1^n, I_{K^*}: L_1^n \rightarrow L_2^m$, defined as:

$$C_K(\bar{x})_i = k_{i1} \&_{u_1} x_1 \vee \dots \vee k_{im} \&_{u_m} x_m, \text{ for all } i \in \{1, \dots, n\} \quad (8)$$

$$I_{K^*}(\bar{y})_j = y_1 \frown_{u_j} k_{1j} \wedge \dots \wedge y_n \frown_{u_j} k_{nj}, \text{ for all } j \in \{1, \dots, m\} \quad (9)$$

where $\bar{x} = (x_1, \dots, x_m) \in L_2^m, \bar{y} = (y_1, \dots, y_n) \in L_1^n$, and $C_K(\bar{x})_i, I_{K^*}(\bar{y})_j$ are the components of $C_K(\bar{x}), I_{K^*}(\bar{y})$, respectively, for each $i \in \{1, \dots, n\}$ and $j \in \{1, \dots, m\}$.

Hence, Systems (5) and (7) can be written as:

$$C_K(x_1, \dots, x_m) = (d_1, \dots, d_n) \quad (10)$$

$$I_{K^*}(y_1, \dots, y_n) = (e_1, \dots, e_m) \quad (11)$$

respectively.

4 Relation between multi-adjoint property-oriented concept lattices and multi-adjoint relation equation

This section shows that Systems (5) and (7) can be interpreted in a multi-adjoint property-oriented concept lattice. And so, the properties given to the isotone Galois connection \uparrow^π and \downarrow^N , as well as to the complete lattice $\mathcal{M}_{\pi N}$ can be used in the resolution of these systems.

First of all, the environment must be fixed. Hence, a multi-adjoint context (A, B, S, σ) will be considered, such that $A = V', B = U$, where V' has the same cardinality as V , σ will be the mapping given by the systems and $S: A \times B \rightarrow P$ is defined as $S(v'_i, u_j) = k_{ij}$. Note that $A = V'$ is related to the mappings K_i , since $S(v'_i, u_j) = k_{ij} = K_i(u_j)$;

Now, we will prove that the mappings defined at the end of the previous section are related to the isotone Galois connection. Given $\mu \in L_2^B$, such that $\mu(u_j) = x_j$, for all $j \in \{1, \dots, m\}$, the following equalities are obtained, for each $i \in \{1, \dots, n\}$:

$$\begin{aligned} C_K(\bar{x})_i &= k_{i1} \&_{u_1} x_1 \vee \dots \vee k_{im} \&_{u_m} x_m \\ &= S(v'_i, u_1) \&_{u_1} \mu(u_1) \vee \dots \vee S(v'_i, u_m) \&_{u_m} \mu(u_m) \\ &= \sup\{S(v'_i, u_j) \&_{u_j} \mu(u_j) \mid j \in \{1, \dots, m\}\} \\ &= \mu^{\uparrow^\pi}(v'_i) \end{aligned}$$

Therefore, the mapping $C_K: L_2^m \rightarrow L_1^n$ is equivalent to the mapping $\uparrow^\pi: L_2^B \rightarrow L_1^A$, where an element \bar{x} in L_2^m can be interpreted as a map μ in L_2^B , such that

$\mu(u_j) = x_j$, for all $j \in \{1, \dots, m\}$, and the element $C_K(\bar{x})$ as the mapping $\mu^{\uparrow\pi}$, such that $\mu^{\uparrow\pi}(v'_i) = C_K(\bar{x})_i$, for all $i \in \{1, \dots, n\}$.

An analogy can be developed applying the above procedure to mappings I_{K^*} and \downarrow^N , obtaining that the mappings $I_{K^*}: L_1^n \rightarrow L_2^m$ and $\downarrow^N: L_1^A \rightarrow L_2^B$ are equivalent.

As a consequence, the following result holds:

Theorem 1. *The mappings $C_K: L_2^m \rightarrow L_1^n, I_{K^*}: L_1^n \rightarrow L_2^m$, establish an isotone Galois connection. Therefore, $I_{K^*} \circ C_K: L_2^m \rightarrow L_2^m$ is a closure operator and $C_K \circ I_{K^*}: L_1^n \rightarrow L_1^n$ is an interior operator.*

As (C_A, I_{K^*}) is an isotone Galois connection, any result about the solvability of one system has its dual counterpart.

The following result explains when these systems can be solved and how a solution can be obtained.

Theorem 2. *System (5) can be solved if and only if $\langle \lambda_{\bar{d}}^{\downarrow^N}, \lambda_{\bar{d}} \rangle$ is a concept of $\mathcal{M}_{\pi N}$, where $\lambda_{\bar{d}}: A = \{v_1, \dots, v_n\} \rightarrow L_1$, defined as $\lambda_{\bar{d}}(v_i) = d_i$, for all $i \in \{1, \dots, n\}$. Moreover, if System (5) has a solution, then $\lambda_{\bar{d}}^{\downarrow^N}$ is the greatest solution of the system.*

Similarly, System (7) can be solved if and only if $\langle \mu_{\bar{e}}, \mu_{\bar{e}}^{\uparrow\pi} \rangle$ is a concept of $\mathcal{M}_{\pi N}$, where $\mu_{\bar{e}}: B = \{u_1, \dots, u_m\} \rightarrow L_2$, defined as $\mu_{\bar{e}}(u_j) = e_j$, for all $j \in \{1, \dots, m\}$. Furthermore, if System (7) has a solution, then $\mu_{\bar{e}}^{\uparrow\pi}$ is the smallest solution of the system.

The main contribution of the relation introduced in this paper is not only the above consequences, but a lot of other properties for Systems (5) and (7) that can be stabilized from the results proved, for example, in [2–4, 12, 14, 17, 18, 27].

Next example studies the system of multi-adjoint relation equations presented in Example 3.

Example 4. The aim will be to solve a small system in order to improve the understanding of the method. In the environment of Example 3, the following system will be solved assuming the experimental data: $\text{oh}(ov_1) = 0.5$, $\text{lo}(o_1) = 0.3$, $\text{lw}(w_1) = 0.3$, $\text{oh}(ov_2) = 0.7$, $\text{lo}(o_2) = 0.6$, $\text{lw}(w_2) = 0.8$, $\text{oh}(ov_3) = 0.4$, $\text{lo}(o_3) = 0.5$, $\text{lw}(w_3) = 0.2$.

$$\begin{aligned} \text{oh}(ov_1) &= (\text{lo}(o_1) \&_G \vartheta_{\text{lo}}^{\text{oh}}) \vee (\text{lw}(w_1) \&_P \vartheta_{\text{lw}}^{\text{oh}}) \\ \text{oh}(ov_2) &= (\text{lo}(o_2) \&_G \vartheta_{\text{lo}}^{\text{oh}}) \vee (\text{lw}(w_2) \&_P \vartheta_{\text{lw}}^{\text{oh}}) \\ \text{oh}(ov_3) &= (\text{lo}(o_3) \&_G \vartheta_{\text{lo}}^{\text{oh}}) \vee (\text{lw}(w_3) \&_P \vartheta_{\text{lw}}^{\text{oh}}) \end{aligned}$$

where $\vartheta_{\text{lo}}^{\text{oh}}$ and $\vartheta_{\text{lw}}^{\text{oh}}$ are the variables.

The context is: $A = V' = \{1, 2, 3\}$, the set of observations, $B = U = \{\text{lo}, \text{lw}\}$, σ associates the propositional symbol lo to the Gödel triple and lw to the product triple. The relation $S: A \times B \rightarrow [0, 1]$ is defined in Table 1.

Therefore, considering the mapping $\lambda_{\text{oh}}: A \rightarrow [0, 1]$ associated to the values of **overheating** in each experimental case, that is $\lambda_{\text{oh}}(1) = 0.5$, $\lambda_{\text{oh}}(2) = 0.7$,

Table 1. Relation S .

	low_oil	low_water
1	0.3	0.3
2	0.6	0.8
3	0.5	0.2

and $\lambda_{\text{oh}}(3) = 0.4$; and the mapping $C_K: [0, 1]^2 \rightarrow [0, 1]^3$, defined in Equation (8), the system above can be written as

$$C_K(\vartheta_{1\text{o}}^{\text{oh}}, \vartheta_{1\text{w}}^{\text{oh}}) = \lambda_{\text{oh}}$$

Since, by the comment above, there exists $\mu \in [0, 1]^B$, such that $C_K(\vartheta_{1\text{o}}^{\text{oh}}, \vartheta_{1\text{w}}^{\text{oh}}) = \mu^{\uparrow\pi}$, the goal will be to attain the mapping $\mu \in [0, 1]^B$, such that $\mu^{\uparrow\pi} = \lambda_{\text{oh}}$, which can be found if and only if $((\lambda_{\text{oh}})^{\downarrow^N}, \lambda_{\text{oh}})$ is a multi-adjoint property-oriented concept in the considered context, by Theorem 2.

First of all, we compute $(\lambda_{\text{oh}})^{\downarrow^N}$.

$$\begin{aligned} (\lambda_{\text{oh}})^{\downarrow^N}(1\text{o}) &= \inf\{\lambda_{\text{oh}}(1) \frown_G S(1, 1\text{o}), \lambda_{\text{oh}}(2) \frown_G S(2, 1\text{o}), \lambda_{\text{oh}}(3) \frown_G S(3, 1\text{o})\} \\ &= \inf\{0.5 \frown_G 0.3, 0.7 \frown_G 0.6, 0.4 \frown_G 0.5\} \\ &= \inf\{1, 1, 0.4\} = 0.4 \end{aligned}$$

$$\begin{aligned} (\lambda_{\text{oh}})^{\downarrow^N}(1\text{w}) &= \inf\{0.5 \frown_P 0.3, 0.7 \frown_P 0.8, 0.4 \frown_P 0.2\} \\ &= \inf\{1, 0.875, 1\} = 0.875 \end{aligned}$$

Now, the mapping $(\lambda_{\text{oh}})^{\downarrow^N \uparrow\pi}$ is obtained.

$$\begin{aligned} (\lambda_{\text{oh}})^{\downarrow^N \uparrow\pi}(1) &= \sup\{S(1, 1\text{o}) \&_G (\lambda_{\text{oh}})^{\downarrow^N}(1\text{o}), S(1, 1\text{w}) \&_P (\lambda_{\text{oh}})^{\downarrow^N}(1\text{w})\} \\ &= \sup\{0.3 \&_G 0.4, 0.3 \&_P 0.875\} \\ &= \sup\{0.3, 0.2625\} = 0.3 \end{aligned}$$

$$(\lambda_{\text{oh}})^{\downarrow^N \uparrow\pi}(2) = \sup\{0.6 \&_G 0.4, 0.8 \&_P 0.875\} = 0.7$$

$$(\lambda_{\text{oh}})^{\downarrow^N \uparrow\pi}(3) = \sup\{0.5 \&_G 0.4, 0.2 \&_P 0.875\} = 0.4$$

Therefore, $((\lambda_{\text{oh}})^{\downarrow^N}, \lambda_{\text{oh}})$ is not a multi-adjoint property-oriented concept and thus, the considered system has no solution, although if the experimental value for **oh** had been 0.3 instead of 0.5, the system would have had a solution.

These changes could be considered in several applications where noisy variables exist and their values can be conveniently changed to obtain approximate solutions for the systems. Thus, if the experimental data for **overheating** are $\text{oh}(ov_1) = 0.3$, $\text{oh}(ov_2) = 0.7$ and $\text{oh}(ov_3) = 0.4$, then the original system will have at least one solution and the values $\vartheta_{1\text{o}}^{\text{oh}}, \vartheta_{1\text{w}}^{\text{oh}}$ will be 0.4, 0.875, respectively for a solution. Consequently, the truth for the first rule is lower than for the second or it might be thought that it is more determinant in obtaining higher

values for l_w than for l_o . Another possibility is to consider that this conclusion about the certainty of the rules is not correct, in which case another adjoint triple might be associate to l_o .

As a result, the properties introduced in several fuzzy formal concept analysis frameworks can be applied in order to obtain solutions of fuzzy relation equations, as well as in the multi-adjoint general framework.

Furthermore, in order to obtain the solutions of Systems (5) and (7), the algorithms developed, e.g., in [5, 6, 15], can be used.

5 Conclusions and future work

Multi-adjoint relation equations have been presented that generalize the existing definitions presented at this time. In this general environment, different conjunctors and residuated implications can be used, which provide more flexibility in order to relate the variables considered in the system.

A toy example has been introduced in the paper in order to improve its readability and reduce the complexity of the definitions and results.

As a consequence of the results presented in this paper, several of the properties provided, e.g., in [2–4, 12, 14, 17, 18, 27], can be used to obtain additional characteristics of these systems.

In the future, we will apply the results provided in the fuzzy formal concept analysis environments to the general systems of fuzzy relational equations presented here.

References

1. W. Bandler and L. Kohout. Semantics of implication operators and fuzzy relational products. *Int. J. Man-Machine Studies*, 12:89–116, 1980.
2. E. Bartl, R. Bělohávek, J. Konecny, and V. Vychodil. Isotone galois connections and concept lattices with hedges. In *4th International IEEE Conference “Intelligent Systems”*, pages 15.24–15.28, 2008.
3. R. Bělohávek. Lattices of fixed points of fuzzy Galois connections. *Mathematical Logic Quartely*, 47(1):111–116, 2001.
4. R. Bělohávek. Concept lattices and order in fuzzy logic. *Annals of Pure and Applied Logic*, 128:277–298, 2004.
5. R. Bělohávek, B. D. Baets, J. Outrata, and V. Vychodil. Lindig’s algorithm for concept lattices over graded attributes. *Lecture Notes in Computer Science*, 4617:156–167, 2007.
6. R. Bělohávek, B. D. Baets, J. Outrata, and V. Vychodil. Computing the lattice of all fixpoints of a fuzzy closure operator. *IEEE Transactions on Fuzzy Systems*, 18(3):546–557, 2010.
7. Y. Chen and Y. Yao. A multiview approach for intelligent data analysis based on data operators. *Information Sciences*, 178(1):1–20, 2008.
8. B. De Baets. Analytical solution methods for fuzzy relation equations. In D. Dubois and H. Prade, editors, *The Handbooks of Fuzzy Sets Series*, volume 1, pages 291–340. Kluwer, Dordrecht, 1999.

9. A. Di Nola, S. Sessa, W. Pedrycz, and E. Sanchez. *Fuzzy Relation Equations and Their Applications to Knowledge Engineering*. Kluwer, 1989.
10. I. Düntsch and G. Gediga. Approximation operators in qualitative data analysis. In *Theory and Applications of Relational Structures as Knowledge Instruments*, pages 214–230, 2003.
11. G. Gediga and I. Düntsch. Modal-style operators in qualitative data analysis. In *Proc. IEEE Int. Conf. on Data Mining*, pages 155–162, 2002.
12. G. Georgescu and A. Popescu. Non-dual fuzzy connections. *Arch. Math. Log.*, 43(8):1009–1039, 2004.
13. P. Hájek. *Metamathematics of Fuzzy Logic*. Trends in Logic. Kluwer Academic, 1998.
14. H. Lai and D. Zhang. Concept lattices of fuzzy contexts: Formal concept analysis vs. rough set theory. *International Journal of Approximate Reasoning*, 50(5):695–707, 2009.
15. C. Lindig. Fast concept analysis. In G. Stumme, editor, *Working with Conceptual Structures-Contributions to ICCS 2000*, pages 152–161, 2000.
16. J. Medina. Towards multi-adjoint property-oriented concept lattices. *Lect. Notes in Artificial Intelligence*, 6401:159–166, 2010.
17. J. Medina and M. Ojeda-Aciego. Multi-adjoint t-concept lattices. *Information Sciences*, 180(5):712–725, 2010.
18. J. Medina, M. Ojeda-Aciego, and J. Ruiz-Calviño. Formal concept analysis via multi-adjoint concept lattices. *Fuzzy Sets and Systems*, 160(2):130–144, 2009.
19. J. Medina, M. Ojeda-Aciego, A. Valverde, and P. Vojtáš. Towards biresiduated multi-adjoint logic programming. *Lect. Notes in Artificial Intelligence*, 3040:608–617, 2004.
20. J. Medina, M. Ojeda-Aciego, and P. Vojtáš. Multi-adjoint logic programming with continuous semantics. In *Logic Programming and Non-Monotonic Reasoning, LPNMR'01*, pages 351–364. Lect. Notes in Artificial Intelligence 2173, 2001.
21. J. Medina, M. Ojeda-Aciego, and P. Vojtáš. Similarity-based unification: a multi-adjoint approach. *Fuzzy Sets and Systems*, 146:43–62, 2004.
22. A. D. Nola, E. Sanchez, W. Pedrycz, and S. Sessa. *Fuzzy Relation Equations and Their Applications to Knowledge Engineering*. Kluwer Academic Publishers, Norwell, MA, USA, 1989.
23. Z. Pawlak. Rough sets. *International Journal of Computer and Information Science*, 11:341–356, 1982.
24. W. Pedrycz. Fuzzy relational equations with generalized connectives and their applications. *Fuzzy Sets and Systems*, 10(1-3):185 – 201, 1983.
25. I. Perfilieva. Fuzzy function as an approximate solution to a system of fuzzy relation equations. *Fuzzy Sets and Systems*, 147(3):363–383, 2004.
26. I. Perfilieva and L. Nosková. System of fuzzy relation equations with $\inf \rightarrow$ composition: Complete set of solutions. *Fuzzy Sets and Systems*, 159(17):2256–2271, 2008.
27. A. M. Radzikowska and E. E. Kerre. A comparative study of fuzzy rough sets. *Fuzzy Sets and Systems*, 126(2):137–155, 2002.
28. E. Sanchez. Resolution of composite fuzzy relation equations. *Information and Control*, 30(1):38–48, 1976.
29. L. A. Zadeh. The concept of a linguistic variable and its application to approximate reasoning I, II, III. *Information Sciences*, 8–9:199–257, 301–357, 43–80, 1975.